

- Acholonu, A. D.** (1968). *Neochordodes* sp. (Nematomorpha) as a parasite of the spider (*Ctenus bryrus*) in Costa Rica. *Journal of Parasitology* **54**, 1233-1234.
- Adoutte, A., Balavoine, G., Lartillot, N. and de Rosa, R.** (1999). Animal evolution. The end of the intermediate taxa? *Trends in Genetics* **15**, 104-108.
- Adrianov, A. V. and Malakhov, V. V.** (1995). Comparative-morphological analysis of the organization of cephalorhynch worms, the phylogeny and the system of the phylum Cephalorhyncha. 5. Phylogeny and system. *Zoologicheskii Zhurnal* **74**, 19-27.
- Adrianov, A. V., Malakhov, V. V. and Spiridonov, S. E.** (1998). Fine morphology of the larvae of hairworm *Gordius* sp. (Nematomorpha). *Doklady Akademii Nauk* **361**, 558-561.
- Aguinaldo, A. M. A., Turbeville, J. M., Linford, L. S., Rivera, M. C., Garey, J. R., Raff, R. A. and Lake, J. A.** (1997). Evidence for a clade of nematodes, arthropods and other moulting animals. *Nature London* **387**, 489-493.
- Aleshin, V. V., Milyutina, I. A., Kedrova, O. S., Vladychenskaya, N. S. and Petrov, N. B.** (1998). Phylogeny of Nematoda and Cephalorhyncha derived from 18S rDNA. *Journal of Molecular Evolution* **47**, 597-605.
- Ali-Kahn, F. E. and Ali-Khan, Z.** (1977). *Paragordius varius* (Leidy)(Nematomorpha) infection in man: a case report from Quebeck (Canada). *The Journal of Parasitology* **63**, 174-176.
- Andrassy, I.** (1976). Evolution as a basis for the systematization of nematodes. **288**.
- André, E. H.** (1927). Sur le biologie des *Gordius*. *Bulletin de la Societe Vaudoise des Sciences Naturelles* **56**, 285-286.
- Andreeva, R. B. and Markevich, A. P.** (1975). Factors limiting the density of the pre-adult stages of horse-flies (Diptera, Tabanidae) in the Kiev Poles'e. *Problems of parasitology. Proceedings of the VIIIth Scientific Conference of Parasitologists of the Ukrainian SSR. Part I.: Problemy parazitologii. Materialy VIII Nauchnoi Konferentsii Parazitologov USSR. Chast' I* 19-20.
- Andreeva, R. V.** (1978). [Parasitism of gordiids in the larvae of *Tabanus autumnalis* L. horseflies]. *Parazitologiya* **12**, 90-91.
- Angelov, A.** (1959). Ein neuer Vertreter der Gattung *Paragordius* (Camerano, 1898) für Bulgarien- *P. tricuspis* Dufour *minor* subsp. n. *Ann Univ Sofia, Biology* **51**, 225-231.
- Anglas, J.** (1901). Observations sur le métamorphoses internes de la guepe dt de l'abeille. *Bulletin scientifique de la France et de Belgique* **34**.
- Anonymous** (1840). Ausziehung des *Gordius aquaticus* aus Wunden. *Zeitschrift für Ges. Med., Hamburg* **14**, 142-143.
- Anonymous** (1960). How pure is your city water? *U.S. News and World Report* **48**, 52-54.
- Anonymous** (1995). *The animal world of Azerbaijan. I. Protozoa and Metazoa, excepting Arthropoda and Chordata*.
- Anonymous** (2002). Our Water: Poison in the pipes? *Wellness News* **17**, 10.
- Archer, J.** (2001). *Australia's Drinking Water- The Coming Crisis*. Pure Water Press,
- Arvy, L. and Sowa, R.** (1976). Researches on the internal parasites in Ephemeroptera around Cracovie. *Annales de parasitologie humaine et comparée* **51**, 111-120.

- Assmuss, E. P.** (1858). Verzeichniss einiger Insecten, in denen ich Gordiaceen antraf. *Wiener entomologische Monatschrift* **6**, 177-181.
- Aydemir, M., Yorgancigil, B., Demirci, M. and Akkaya, H.** (1996). A report of *Gordius aquaticus* Linnaeus, 1758 isolated from Isparta city drinking water. *Turkiye Parazitoloji Dergisi* **20**, 3-4.
- Baek, K. M.** (1993). Two species of genus Chordodes (Gordioidea, Nematomorpha) from Korea. *Korean Journal of Systematic Zoology* **9**, 221-228.
- Baek, K. M. and Noh, Y. T.** (1992). Two species of genus Gordius (Gordioidea, Nematomorpha) from Korea. *Korean Journal of Systematic Zoology* **8**, 223-230.
- Baer, J. G.** (1951). *Ecology of Animal Parasites*. Illinois Press, Urbana, Illinois.
- Baird, W.** (1853). Descriptions of some new species of Entozoa from the collection of the British Museum. *Proceedings of the Zoological Society of London* **21**, 18-25.
- Baker, G. H.** (1985). Parasites of the millipede *Ommatoiulus moreletii* (Lucas)(Diplopoda: Iulidae) in Portugal, and their potential as biological control agents in Australia. *Australian Journal of Zoology* **33**, 23-32.
- Baker, G. L. and Capinera, J. L.** (1997). Nematodes and nematomorphs as control agents of grasshoppers and locusts. *Memoirs of the Entomological Society of Canada* **171**, 157-211.
- Bakke, T. A.** (1975). A marine horsehair worm, *Nectonema* sp. (Nematomorpha) from north Norway. *Fauna, Oslo* **28**, 163-169.
- Bareth, C.** (1974). Kystes et larves de Gordiacés chez 3 espèces de campodes cavernicoles. *Bulletin de la Société zoologique de France* **100**, 274.
- Bareth, c.** (1974). Présence de kystes et de larves de Gordiacés chez plusieurs espèces de *Campodés cavernicoles* (Diploures Campodéides). *Annales de Spéléologie* **29**, 657-662.
- Barnard, C. J. and Behnke, J. M.** (1990). *Parasitism and host behaviour*. Taylor & Francis, London.
- Bartolomaeus, T. and Ax, P.** (1992). Protonephridia and metanephridea- their relation within the Bilateria. *Zeitschrift für zoologische Systematik und Evolutionsforschung* **30**, 21-45.
- Barus, V.** (1964). Freshwater snails as reservoir hosts of invasive larvae of the nematode *Syngamus trachea* (Montagu 1811). In *Parasitic worms and aquatic conditions* (eds. Ergens, R. and Rysavý, B.), pp. 83-90. House of the Czechoslovak Academy of Sciences, Prague.
- Baylis, H. A.** (1927). Notes on two Gordiids and a Mermithid said to have been parasitic in man. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **21**, 203-206.
- Baylis, H. A.** (1944). Notes on the Distribution of Hairworms (Nematomorpha: Gordiidae) in the British Isles. *Proceedings of the Zoological Society of London* **113**, 193-197.
- Beaver, P. C., Jung, R. C., Cupp, E. W. and Craig, C. F.** (1984). *Clinical Parasitology*. 9th. Lea & Febiger, Philadelphia, PA.
- Begon, M., Harper, J. L. and Townsend, C. R.** (1996). *Ecology: individuals, populations, and communities*. 3rd. Blackwell Science, Oxford.
- Bell, F. J.** (1885). Note on a Nematoid worm (*Gordius verrucosus*) obtained by Mr. H. H. Jonston on Kilima-njaro. *Proceedings of the Zoological Society of London* **236**.

- Berthold, A.** (1838-1841). Über den Bau des Wasserkalves (*Gordius aquaticus*). *Abh. Klg. Ges. Wissenschaft* **1**, 1-18.
- Bird, A. F. and Sommerville, R. I.** (1983). Nematoda and Nematomorpha. In *Reproductive biology of invertebrates* (eds. Adiyodi, K. G. and Adiyodi, R. G.), pp. v. Wiley, Chichester ; New York.
- Bird, A. F., Sommerville, R. I., Adiyodi, K. G. and Adiyodi, R. G.** (1989). *Nematoda and Nematomorpha*.
- Biron, D. G., Joly, C., Marche, L., Galeotti, N., Calcagno, V., Schmidt-Rhaesa, A., Renault, L. and Thomas, F.** (2005). First analysis of the proteome in two nematomorph species, *Paragordius tricuspidatus* (Chordodidae) and *Spinichordodes tellinii* (Spinichordodidae). *Infect Genet Evol* **5**, 167-175.
- Biron, D. G., Marche, L., Ponton, F., Loxdale, H. D., Galeotti, N., Renault, L., Joly, C. and Thomas, F.** (2005). Behavioural manipulation in a grasshopper harbouring hairworm: a proteomics approach. *Proc Biol Sci* **272**, 2117-2126.
- Biron, D. G., Ponton, F., Marche, L., Galeotti, N., Renault, L., Demey-Thomas, E., Poncet, J., Brown, S. P., Jouin, P. and Thomas, F.** (2006). 'Suicide' of crickets harbouring hairworms: a proteomics investigation. *Insect Mol Biol* **15**, 731-742.
- Blair, D.** (1983). Larval horsehair worms (Nematomorpha) from the tissue of native freshwater fish in New Zealand. *New Zealand Journal of Zoology* **10**, 341-344.
- Blanchard, E.** (1849). *Gordius chilensis*. In *Historia Fisica y Politica de Chili* (ed. Gay, C.), pp. 109. Paris.
- Blanchard, R.** (1897). Pseudo-parasitism d'un *Gordius* chez l'Homme. *Bulletin de l'Academie Nationale de Medecine, Paris* **37**, 614-618.
- Bleidorn, C., Schmidt-Rhaesa, A. and Garey, J. R.** (2002). Systematic relationships of Nematomorpha based on molecular and morphological data. *Invertebrate Biology* **121**, 357-364.
- Blunk, H.** (1915). Ein kurzes Wort zur Kenntnis der Gordiiden-Biologie. *Zoologischer Anzeiger* **45**, 289-290.
- Blunk, H.** (1922). Die Lebensgeschichte der im Gelbrand schmarotzenden Saitenwürmer I. *Zoologischer Anzeiger* **54**, 110-132.
- Blunk, H.** (1922). Die Lebensgeschichte der im Gelbrand schmarotzenden Saitenwürmer II. *Zoologischer Anzeiger* **54**, 145-163.
- Blunk, H.** (1924). Die Überwinterung von *Gordius aquaticus* L. in *Dytiscus marginalis* L. *Zoologischer Anzeiger* **61**, 266-267.
- Bock, S.** (1913). Zur Kenntniss von Nectonema und dessen systematischer Stellung. *Zool. Bidrag. Upsala* **2**, 1-28.
- Bodenheimer, F. S.** (1923). Die parasitären Beziehungen zwischen Würmern und Insekten. *Zentralblatt für Bakteriologie Protozoologie Parasitenkunde und Infektionskrankheiten, Abt. II* **58**, 220-242.
- Bogush, P. P.** (1971). New data on *Chordodes longipilus* (Nemathelminthes: Nematomorpha). *Izvestiya Akademii Nauk Turkmenskoï SSR; Biol. Nauki* **5**, 79.
- Bohall, P. J., Wells, M. R. and Chandler, C. M.** (1997). External morphology of larvae of *Chordodes morgani* (Nematomorpha). *Invertebrate Biology* **116**, 26-29.
- Bohl, M. a. H. H. R.-K.** (1982). Gordiids as facultative parasites of fishes and man. Saitenwürmer (Nematomorpha: Gordioidea) als gelegentliche Fisch- und Humanparasiten. *Fisch Umwelt* **11**, 31-35.

- Bolek, M. G.** (2000). Records of horsehair worms *Paragordius varius*, *Chordodes morgani* and *Gordius robustus* (Nematomorpha) from Indiana. *Journal of Freshwater Ecology* **15**, 421-423.
- Bolek, M. G. and Coggins, J. R.** (2002). Seasonal occurrence, morphology, and observation on the life history of *Gordius difficilis* (Nematomorpha: Gordioidea) from southeastern Wisconsin, United States. *Journal of Parasitology* **88**, 287-294.
- Bolschwing, v.** (1842). Ein Wort wider den *Gordius aquaticus* in Fussgeschwüren. *Med Argos Leipzig* **4**, 339-341.
- Borgarenko, L. F., Bronshpits, G. M. and Solodenko, T. E.** (1975). The prevalence of infection in the invertebrates of the Nadoksai ravine (northern Tadzhikistan). *Zoologicheskii sbornik, Chast' II* 81-90.
- Born, J. W.** (1967). *Palaemonetes vulgaris* (Crustacea, Decapoda) as host for the juvenile stage of *Nectonema agile* (Nematomorpha). *Journal of Parasitology* **53**, 793-794.
- Bratley, J., Elnor, R. W., Uhazy, L. S. and Bagnall, A. E.** (1985). Metazoan parasites and commensals of five crab (Brachyura) species from eastern Canada. *Canadian Journal of Zoology* **63**, 2224-2229.
- Brauns, A.** (1954). Saitenwürmer. *Gesunde Finanzen Heft* **12**.
- Brehm, A. E.** (1890). *Het Leven der Dieren*. Schiulemans & Van Belkum, Zutphen.
- Bresciani, J.** (1970). The integument of *Gordius robustus* Duj. (Nematomorphs, Gordioidea). *Royal Veterinary and Agricultural University Yearbook* 92-96.
- Bresciani, J.** (1991). Nematomorpha. In *Microscopic Anatomy of Invertebrates* (ed. Harrison, F. W.), pp. 197-218. Wiley-Liss, Inc., New York.
- Brivio, M. F., de Eguileor, M., Grimaldi, A., Vigetti, D., Valvassori, R. and Lanzavecchia, G.** (2000). Structural and biochemical analysis of the parasite *Gordius villoti* (Nematomorpha, Gordiacea) cuticle. *Tissue and Cell* **32**, 366-376.
- Brown, K. M., Leathers, B. K. and Minchella, D. J.** (1988). Trematode prevalence and the population dynamics of freshwater pond snails. *American Midland Naturalist* **120**, 289-301.
- Buatois, L. A., Jalfin, G. and Acenolaza, F. G.** (1997). Permian nonmarine invertebrate trace fossils from southern Patagonia, Argentina: Ichnologic signatures of substrate consolidation and colonization sequences. *Journal of Paleontology* **71**, 324-336.
- Bundy, D. A. P., and J. H. Steele** (1984). Parasitic zoonoses in the Caribbean region - a review. *International Journal of Zoonoses* **11**, 1-38.
- Burger, R.** (1972). *Paragordius esavianus* passed per urethram. *Journal of Urology* **108**, 469.
- Bütschli, O.** (1876). Untersuchungen über freilebende Nematoden und die Gattung *Chaetonotus*. *Zeitschrift für wissenschaftliche Zoologie* **46**, 363-413.
- Caballero, E.** (1936). Contribucion al concimiento de los gordius de Mexico. *Annales de Instituto de Biologia de la Universids d Naciona Autonoma de Mexico* **7**, 477-488.
- Calloway, C. B.** (1975). Morphology of the introvert and associated structures of the Priapulid *Tubiluchus corallicola* from Bermuda. *Marine Biology* **31**, 161-174.

- Camerano, I.** (1908). Gordii d'Irlanda. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **23**.
- Camerano, L.** (1887). Del *Gordius tricuspидatus*. *Bollettino dei Musei di Zoologia ed anatomia comparata della R. Università di Torino* **2**, 1-2.
- Camerano, L.** (1887). Observations sur les *Gordius*. *Archives Italennes de Biologie* **9**, 59-60.
- Camerano, L.** (1887). Ricerche intorno alle specie italiane del genere *Gordius*. *Atti della R. Accademia della Scienze di Torino* **22**, 145-175.
- Camerano, L.** (1887). Richerche intorno alle specie italiane del genere *Gordius*. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **2**, 1-4.
- Camerano, L.** (1888). Ricerche intorno al parassitismo ed al Polimorfisma dei Gordii. *Memorie della R. Accademia della Scienze Torino* **38**, 395-413.
- Camerano, L.** (1888). Ricerche sopra i Gordii d'Europa e descrizione dei due nuove specie. *Bollettino dei Musei di Zoologia ed anatomia comparata della R. Università di Torino* **3**, 1-10.
- Camerano, L.** (1888). Richerche intorno alla anatomia ed istologia dei Gordii. *Bollettino dei Musei di Zoologia ed anatomia comparata della R. Università di Torino* **3**, 1-6.
- Camerano, L.** (1890). Viaggio di Leonardo Fea in Birmania e regioni vicine. Gordii. *Ann Mus Civ Stor Nat Genova* **30**, **2. s.**, 128-131.
- Camerano, L.** (1892). Descrizione di una nuova specie del genere *Gordius* di Palmeira (Parana) raccolta dal Dott. G. Franco Grillo. *Annali del Museo civico di storia naturale di Genova* **30**, **2. s.**, 965-966.
- Camerano, L.** (1892). Intorno ad una specie di *Gordius* (*G. aeneus* Villot) raccolta dal Sig. G. B. Anselmo in Venezuela e intorno alle specie di questo genere fino ad ora descritte dell' America meridionale. *Annali del Museo Civico di Storia Naturale di Genova* **30**, **2. s.:** **10**, 123-127.
- Camerano, L.** (1892). Richerche intorno al parassitismo ed allo sviluppo del *Gordius pustulosus* Baird. *Atti della R. Accademia della Scienze di Torino* **18**, 598-607.
- Camerano, L.** (1893). Sur quelques Gordiens nouveaux ou peu connus. *Bulletin de la Société zoologique de France* **18**, 213-216.
- Camerano, L.** (1894). Viaggio del Dottor Alfredo Borelli nella Repubblica Argentina e nel Paraguay. Gordii. *Bollettino dei Musei di Zoologia ed anatomia comparata della R. Università di Torino* **9**, 1-6.
- Camerano, L.** (1895). Description d'une nouvelle espece de Gordien de la Chine. *Bulletin de la Société zoologique de France* **20**, 99-100.
- Camerano, L.** (1895). Gordiens nouveaux ou peu connus de Musée d'Histoire Naturelle de Leyde. *Notes Leyden Musée* **17**, 1-14.
- Camerano, L.** (1897). Monografia dei Gordii. *Memorie della Reale Accademia della Scienze di Torino, serie II* **47**, 339-419.
- Camerano, L.** (1897). Nuova classificazione dei Gordii. *Zoologischer Anzeiger* **20**, 225-229.
- Camerano, L.** (1897). Viaggio del Dott Alfredo Borelli nel Chaco boliviano e nella Repubblica Argentina. Gordii. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **12**, 1-3.

- Camerano, L.** (1897). Viggio del Dr. Enrico Festa nella Repubblica dell' Ecuador e regioni vicine. Gordii. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **7**, 1-2.
- Camerano, L.** (1898). Gordiens du Mexique. *Bulletin de la Societe Zoologique de France* **23**, 73-76.
- Camerano, L.** (1899). Gordii della Malesia e del Messico. *Atti R. Accad Sci Torino* **34**, 460-469.
- Camerano, L.** (1901). Gordii di Madagascar e delle isole Sandwich. *Bol Mus Zool Anat comp R. Univ Torino* **16**, 1-2.
- Camerano, L.** (1901). Gordii raccolti dal Dottor Filippo Silvestri nella Repubblica Argentina e nel Paraguay. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **16**, 1-2.
- Camerano, L.** (1901). Gordii raccolti dalla spedizione <<Skeat>> nella Penisola Malese 1899-1900. *Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* **16**, 1-2.
- Camerano, L.** (1901). Viaggio del Dr. A. Borelli nel Matto Grosso e nel Paraguay. Gordii. *Bol Mus Zool Anat Comp R Univ Torino* **16**, 1-2.
- Camerano, L.** (1902). Descrizione di una nuova specie di *Chordodes* del Congo. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della Reale Università di Torino* **17**, 1-2.
- Camerano, L.** (1902). Nuova specie di *Chordodes* del Sudan. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della Reale Università di Torino* **17**, 1-3.
- Camerano, L.** (1903). Gordiens nouveaux ou peu connus du Musée Zoologique de l'Académie Impériale des Sciences de St. Pétersbourg. *Ann Mus Zool Acad Imp Sci St. Pétersburg* **8**, 22-29.
- Camerano, L.** (1915). Revisione dei Gordii. *Memorie della Reale Accademia della Scienze di Torino, serie II* **66**, 1-66.
- Cappucci, D. T. (1976) The biology of *Gordius robustus* Leidy with a host list and summary of the public health importance of the Gordioidea. pp. 240, University of California
- Cappucci, D. T., Jr. and Schultz, M. G.** (1982). Gordian worms (hairworms): biological and public health aspects. In *CRC handbook series in zoonoses. Section C: parasitic zoonoses* pp. CRC Press Inc., Boca Raton, FL.
- Capuse, I.** (1965). Un gordiid nou pentru stiinta. *Dacochordodes bacescui* gen. n., sp. n. (Ord. Chordodida, fam. Chordodidae). *Revista Muzeelor* **2**, 134-136.
- Capuse, I.** (1966). Sur le *Dacochordodes bacescui* Capuse (ord. Chordodida, fam. Chordodidae). *Travers du Museum da Histoire Naturelle "Grigore Antipa"* **6**, 17-23.
- Capuse, I.** (1970). Nouvelles données sur la repartition et la biologie de quelques Gordiides de Roumanie. *Travers du Museum da Histoire Naturelle "Grigore Antipa"* **10**, 49-56.
- Carter, J. J. (1976) A new basis for the assessment of the phylogenetic relationships of the parasitic metazoan taxa. In *Dissertation Abstracts International* (Vol. 2), pp. 539-540, UNIVERSITY OF NEW SOUTH WALES
- Carvalho, J.** (1944). Considerations on some Brazilian Gordiacea with description of two new species. *Rev. Brazil Biol.* **4**, 485-491.

- Carvalho, J. C. d.** (1941). *Studies on Gordiacea*.
- Carvalho, J. C. M.** (1942). Studies on some Gordiacea of North and South America. *Journal of Parasitology* **28**, 213-222.
- Carvalho, J. C. M.** (1942). Uma nova espécie de Gordiáceo do Brasil e considerações sobre *Chordodes brasiliensis* Janda (Nematomorpha, Gordioidea). *Bol Mus Nac Rio de Janeiro n.s. zool.* **62**, 1-8.
- Carvalho, J. C. M.** (1946). Gordiáceos do Museo de Historia Natural de Montevideo. *Comun Zool Mus Hist Nat Montevideo* **2**, 1-8.
- Carvalho, J. C. M.** (1950). Sobre alguns gordiáceos do Brasil e da Republica Argentina (Nematomorpha, Gordioidea). *Anais da Academia Brasileira de Ciencias* **22**, 193-206.
- Cavalier Smith, T.** (1998). A revised six-kingdom system of life. *Biological Reviews* **73**, 203-266.
- Cavalieri, F.** (1961). Descripción de una nueva especie de Gordiáceo *Gordius inesae* n. sp. (Gordioidea, Gordiidae). *Neotropica* **7**, 3-6.
- Cerini, G., and G. F. Ristori** (1988). On some cases of accidental infestation through *Gordius* class. *Ospedali Italiani Pediatria (E Specialita' Chirurgiche)* **23**, 97-101.
- Cerruti, G. B. and Camerano, L.** (1888). Di un nouvo caso di parassitismo di *Gordius* adulto nell' uomo. *Giorn Accad Med torino* **3: 36**, 264-269.
- Cham, S. A., Seymour, M. K. and D. J. Hooper** (1983). Observations on a British Hairworm, *Parachordodes wolterstorffii* (Nematomorpha: Gordiidae). *Journal of Zoology, London* **199**, 275-285.
- Chandler, C. M.** (1985). Horsehair worms (Nematomorpha, Gordioidea) from Tennessee, with a review of taxonomy and distribution in the United States. *Journal of the Tennessee Academy of Sciences* **60**, 59-62.
- Chandler, C. M. and Wells, M. R.** (1989). Cuticular features of *Chordodes morgani* (Nematomorpha) using scanning electron microscopy. *Transactions of the American Microscopical Society* **108**, 152-158.
- Chapman, T. A.** (1902). *Gordius* in a butterfly. *Entomologist* **35**, 42.
- Charvet, P.** (1834). Observations sur deux espèces du genre dragonneau. *Nouvelles Annales du Musée d'Historie Naturelle de Marsielle* **3**, 37-46.
- Chavannes, A.** (1864). *Gordius* parasite de *Locusta veridissima*. *Bulletin de la Societe Vaudoise des Sciences Naturelles* **8**, 183.
- Chen, X. C., Pan, Z. L., Liu, D. S. and Han, X.** (1998). Effect of taurine on human fetal neuron cells: proliferation and differentiation. *Advances in Experimental Medicine and Biology* **442**, 397-403.
- Cheng, T. C.** (1986). *General parasitology*. Academic Press, Orlando, Florida.
- Chitwood, B. G. and Chitwood, M. B.** (1937). Snails as hosts and carriers of nematodes and Nematomorpha. *Nautilus* **50**, 130-135.
- Clampitt, P. T.** (1970). Comparative Ecology of the snails *Physa gyrina* and *Physa integra* (Basommatophora: Physidae). *Malacologia* **10**, 113-151.
- Clark** (1854). Presentation of two specimens of very complete filiform animals said to have been voided from the bladder of two females. *American Medical Monthly* **2**, 148.
- Clarke, H. T.** (1831). Gordii, beetles, and *Dytiscus* found in the intestine of a Frog. *Magazine of Natural History* **4**, 95-?

- Clifford, H. F.** (1991). Aquatic invertebrates of Alberta: an illustrated guide. **538**.
- Cochran, P. A.** (1999). Notes on the Distribution and Biology of the Horsehair Worm *Pargordius varius* (Phylum Nematomorpha) in Wisconsin. *Journal of Freshwater Ecology* **14**, 137-138.
- Cochran, P. A., Kinziger, A. P., and W. J. Poly** (1999). Predation on horsehair worms (Phylum Nematomorpha). *Journal of Freshwater Ecology* **14**, 211-218.
- Cochran, P. A., Newton, A. K. and Korte, C.** (2004). Great Gordian knots: sex ratio and sexual size dimorphism in aggregations of horsehair worms (*Gordius difficilis*). *Invertebrate Biology* **123**, 78-82.
- Cochran, P. A. and Watermolen, D. J.** (1990). Horsehair worms (Phylum Nematomorpha) in Lake Michigan. *Journal of Great Lakes Research* **16**, 485-487.
- Codina, A.** (1925). El cas d'un *Gordius* (Verm. Nematoides) extret del cos d'un *Stauroderus* (Orth. Acrydiinae). *Boll Inst Catal N.H. (Barcelona)* **5**, 61-64.
- Combes, C.** (2001). *Parasitism : the ecology and evolution of intimate interactions*. University of Chicago Press, Chicago.
- Coomans, A.** (1979). Aspects of the phylogeny of nematodes. *Conveg. Internaz. "Origine dei grandi phyla dei metazoi"*, Roma 161-174.
- Cooper, C. L., and T. W. Stock** (1973). *Gordius* sp., a new host species. *The Ohio Journal of Science* **73**, 228.
- Cooper, P. D. a. R. V.** (1997). Regulation of pH in the digestive system of the cricket, *Teleogryllus commodus* Walker. *Journal of Insect Physiology* **43**, 459-499.
- Corbel, J. C.** (1967). The parasites of Orthoptera. *L'Annee Biologique* **6**, 7-8.
- Cort, W. W.** (1914). *Gordius* larvae parasitic in a trematode. *Journal of Parasitology* **1**, 189-199.
- Cowen, W. W., and R. K. Williams** (1965). Horse hair worms or untying the Gordian knot. *The Central African Journal of Medicine* **11**, 359-360.
- Craig, C. F., Faust, C., Russell, P. F. and Jung, R. C.** (1970). Nematomorpha. In *Craig and Fust's Clinical Parasitology* (eds. Craig, C. F., Faust, C., Russell, P. F. and Jung, R. C.), pp. Lea and Febiger, Philadelphia.
- Criscione, C. D. and Blouin, M. S.** (2005). Effective sizes of macroparasite populations: a conceptual model. *Trends in Parasitology* **21**, 212-217.
- Crisp, E.** (1873). *Gordius* in the Lungs of a sheep. *Trnasactions of the Pathological Society of London* **24**, 276-279.
- Cui, W., et al** (1995). A case of Gordiacea infestation in human digestive tract. *Chinese Journal of Parasitic Disease Control* **8**, 298.
- Czeczuga, B.** (1981). Presence of carotenoids in *Gordius aquaticus* (Nematomorpha, Nematelminthes) specimens from deep wells. *Hydrobiologia* **76**, 13-15.
- d' Hondt, J. L.** (1997). What has happened to the former "Aschelminthes"? *Bulletin de la Societe Zoologique de France* **122**, 355-364.
- Dasgupta, R. a. P. K.** (1986). A gordiid worm in Darjeeling. *Journal of Bengal Natural History Society* **5**, 160-162.
- de Bacounin, A.** (1791). Mémoires sur les *Gordius* d'eau douce des environs de Turin. *Mém. Acad. des Sc. de Turin* **12**, 23-42.
- de Lucena, D. T. and Campelo, M.** (1975). Accidental parasitism of man with two gordiids. *Revista do Instituto de Medicina Tropical de São Paulo* **17**, 390-393.

- de Miralles, D. A. B.** (1975). Nuevo aporte al concimiento de la Gordiofauna Argentinna. *Neotropica* **21**, 99-103.
- de Miralles, D. A. B.** (1984). Study on Argentine Gordiaceae. *Revista del Museo de La Plata, Seccion Zoologia* **13**, 283-289.
- de Miralles, D. A. B.** (1989). Cuticular structure of *Chordodes carmelitanus* Carvalho y Feio, 1950: the first record in Argentina (Nematomorpha: Chordodidae). *Neotropica* **35**, 95-99.
- de Miralles, D. A. B.** (1993). Contributions to the study of cuticular structure of Argentinean Gordiaceae. *Neotropica* **39**, 41-44.
- de Miralles, D. A. B. and Camino, N. B.** (1983). Sobre la colleccionde Gordiaceos del Museo Argentino 'Bernardino Rivadavia'. *Neotropica* **29**, 51-56.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1993). Distribucion geografica de los Gordiaceos en la region neotropical. In *Fauna de agua dulce de la Repulica Argentina* (ed. de Castellanos, Z. A.), pp. 17-32. Profadu (Conicet), La Plata.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1993). Distribucion geografica de los Gordiaceos en la republica Argentina. In *Fauna de agua dulce de la Repulica Argentina* (ed. de Castellanos, Z. A.), pp. 1-16. Profadu (Conicet), La Plata.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1993). Redescrpcion de *Gordius agasizzi* (Montgomery 1898) de *Pseudochordodes occidentalis* comb. N, y nuevo registro para *P. bedriagae* (Camerano, 1896)(Gordioidea Nematomorpha). *Iheringia, Sberie Zoologica, Porto Alegre* **75**, 107-111.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1995). A review of the Gordiaceae (Nematomorpha) in the collection of the California Academy of Sciences with the description of a new species. *Graellsia* **51**, 17-22.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1996). Dos nuevas especies de Gordiáceos para Ventania, Argentina (Nematomorpha). *Comunicaciones do Museo de Ciencias y Tecnologia, PUCRS, Série Zoologia* **9**, 3-9.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1996). New *Gordius* for Argentina (Gordiaceae, Nematomorpha). *Acta Zoologica Mexicana Nueva Serie* **68**, 67-73.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1996). Nueva especie de *Neochordodes* (Gordiaceae Nematomorpha) parasita de *Scapteriscus* sp. (Grillotalpidae). *Revista de la Academia de Ciencias de Zaragoza* **51**, 237-246.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1996). Species of *Neochordodes* in Argentina. *Iheringia Serie Zoologia*. **81**, 145-150.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1996). Una nueva especie de *Gordius* (Linne, 1758) (Gordiaceae, Nematomorpha) de la Patagonia. *Naturalia Patagónica, Ciencias Biológicas* **4**, 41-45.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1997). Ultraestructura cuticular de una nueva especie de *Chordodes* Creplin, 1874, para la Argentina (Nematomorpha - Gordioidea - Chordodidae). *Estudos de Biologia* **42**, 41-48.
- de Miralles, D. A. B. and de Villalobos, L. C.** (1998). Dos nuevos especies y una nueva combinacion para el genero *Acutogordius* (Nematomorpha: Gordiidae). *Neotropica* **44**, 75-79.
- de Miralles, D. A. B. and de Villalobos, L. C.** (2000). *Noteochordodes*, un nuevo género para la republica Argentina (Nematomorpha, Gordiaceo). *Revista del Museo de La Plata (NS) Zoologia* **14**, 279-283.

- de Miralles, D. A. B., de Villalobos, L. C. and Rodriguez, A.** (1997). A new species and a new combination of gordiaceous (Nematomorpha). *Neotropica La Plata* **43**, 53-56.
- de Miralles, D. A. B., SH, H., Rodriguez, G. and dos Santos, N. D.** (1981). Gordioidea. *Aquatic biota of tropical South America. Part 2*, 151-154.
- De Villalobos, C., Restelli, M., Schmidt-Rhaesa, A. and Zanca, F.** (2005). Ultrastructural observations of the testicular epithelium and spermatozoa of *Pseudochordodes bedriagae* (Gordiida, Nematomorpha). *Cell Tissue Res* **321**, 251-255.
- De Villalobos, C., Zanca, F. and Ibarra-Vidal, H. C.** (2005). Redescription and new records of freshwater Nematomorpha (Gordiida) from Chile, with the description of two new species. *Revista Chilena De Historia Natural* **78**, 673-686.
- De Villalobos, C., Zanca, F. and Spiridonov, S.** (2007). Fine morphology of the cuticle surface of *Chordodes anthophorus* and reinterpretation of *C-aquaeductus*, *C-ferganensis* and *C-oscillatus* (Gordiida Nematomorpha). *Zootaxa* **39**-45.
- de Villalobos, L. C.** (1995). A new species of the genus *Chordodes* Creplin, 1874, in Argentina. *Neotropica (La Plata)* **41**, 63-65.
- de Villalobos, L. C. and Camino, N.** (1999). Two new species of Gordiacea (Nematomorpha) parasites of *Stagmatoptera hyaloptera* (Mantidae) from Argentina. *Iheringia, Serie Zoologia* **86**, 71-76.
- de Villalobos, L. C. and de Miralles, D. A. B.** (1997). Una nueva especie de *Chordodes* (Gordiaceo Nematomorpha) parasita de *Blaptica* sp. (Blaberidae, Blataria). *Comunicaciones do Museo de Ciencias y Tecnologia, PUCRS, Série Zoologia* **10**, 45-51.
- de Villalobos, L. C., Ramirez, G., Chavarria, S. and Zanca, F.** (2000). Cuticular ultrastructure of *Paragordius esavianus* Carvalho and *P. varius* (Leidy) (Nematomorpha : Chordodidae : Paragordinae). *Proceedings of the Academy of Natural Sciences of Philadelphia* **150**, 135-144.
- de Villalobos, L. C. and Restelli, M. A.** (2001). Ultrastructural study of the cuticle and epidermis in *Pseudochordodes bedriagae*. *Cell and Tissue Research* **305**, 129-134.
- de Villalobos, L. C., Ribera, I. and Bilton, D. T.** (2001). First data of Iberian Nematomorpha, with a redescription of *Gordius aquatics* Linnaeus, *G. plicatulus* Heinze, *Gordionus wolterstorffii* (Camerano) and *Paragordius tricuspis* (Dufor). *Contributions to Zoology* **70**, 73-84.
- de Villalobos, L. C., Ribera, I. and Downie, I. S.** (1999). Hairworms found in Scottish agricultural land, with descriptions of two new species of *Gordionus* Müller (Nematomorpha: Gordiidae). *Journal of Natural History* **33**, 1767-1780.
- de Villalobos, L. C., Schmidt-Rhaesa, A. and Zanca, F.** (2003). Revision of the genus *Beatogordius* (Gordiida, Nematomorpha). II. South American species with description of two new species. *Memórias do Instituto Oswaldo Cruz* **98**, 115-128.
- de Villalobos, L. C. and Voglino, D.** (2000). Description of *Gordionus porosus* n. sp. and redescription of *Gordionus ondulatus* (Nematomorpha, Parachordodinae) with scanning electron microscopy. *Journal of Parasitology* **86**, 358-365.

- de Villalobos, L. C. and Zanca, F.** (2001). Scanning electron microscopy and intraspecific variation of *Chordodes festae* Camerano, 1897 and *C. peraccae* (Camerano, 1894) (Nematomorpha: Gordioidea). *Systematic Parasitology* **50**, 117-125.
- de Villalobos, L. C. and Zanca, F.** (2002). Scanning electron microscopy of *Spinochordodes tellinii* (Camerano, 1888), (Gordioidea, Nematomorpha). *Parasite* **9**, 71-74.
- Degrange, C. and Martinot, J. P.** (1996). Gordioidea, parasites of Orthoptera in Vanoise national park. *Travaux Scientifiques du Parc National de la Vanoise* **19**, 161-182.
- Deronde** (1936). Le dragonneau (*Gordius aquaticus*), némathelminthe parasite des insectes et des myriapodes. *Bull Soc Hist Nat Dubus* **46**, 43-48.
- Desender, K.** (1994). *Carabid beetles: ecology and evolution*. Kluwer Academic Publishers, Boston, MA, USA.
- Dewitt, R. M.** (1955). The ecology and life history of the pond snail *Physa gyrina*. *Ecology* **36**, 40-44.
- Dollfus, R.** (1932). Sortie de douze *Gordius* par les stigmates d'un *Dytiscus*. *Bulletin de la Société entomologique de France* **17**, 247-254.
- Dollfus, R. P.** (1943). *Steropus madidus* (F.), nouvel hôte du Gordien *Gordionus violaceus* (W. Baird). *Bulletin de la Société entomologique de France* **48**, 162-167.
- Donin, C. L. L. and Cotelli, F.** (1977). The rod-shaped sperm of Gordioidea (Aschelminthes, Nematomorpha). *Journal of Ultrastructural Research* **61**, 193-200.
- Donisthorp, H. S. J. K.** (1927). Chapter 16: Nematode Worms. In *The Guests of British Ants : their habits and life-histories* pp. 218-221. George Routledge and Sons, Ltd.,
- Dorier, A.** (1925). Sur la faculté d'enkystement dans l'eau de la larve du *Gordius*. *Comptes Rendus de l'Académie des Sciences, Paris* **181**, 1098-1099.
- Dorier, A.** (1926). L'enkystement dans l'eau de la larve du "*Gordius aquaticus*" L. *Annales de la Universitye de Grenoble* **3**, 353-355.
- Dorier, A.** (1928). Quelques stations de Gordiacés en Dauphiné. *Travaux du Laboratoire d'Hydrobiologie et de Pisciculture de Grenoble* **20**.
- Dorier, A.** (1929). Sur les Gordiacés des Myriapodes. *Comptes Rendus de l'Académie des Sciences, Paris* **188**, 743-745.
- Dorier, A.** (1930). Recherches biologiques et systématiques sur les Gordiacés. *Annales Université de Grenoble* **7**, 1-183.
- Dorier, A.** (1932). Observations sur deux larves de gordiacés appartenant au genre *Parachordodes*. *Travaux du Laboratoire d'Hydrobiologie et de Pisciculture de Grenoble* **24**, 47-61.
- Dorier, A.** (1933). Sur la larve de *Parachordodes violaceus* (Baird). *Comptes Rendus de l'Académie des Sciences* **197**, 460-462.
- Dorier, A.** (1935). Etude biologique et morphologique de la larve de *Parachordodes gemmatus* (Villot). *Travaux du Laboratoire d'Hydrobiologie et de Pisciculture de Grenoble* **25**, 147-161.

- Dorier, A.** (1935). Sur le passage a la vie latente des larves des Gordiacés. *Comptes Rendus de l'Académie des Sciences, Paris* **200**, 491-494.
- Dorier, A.** (1936). Sur le développement des pontes de *Gordius aquaticus* Duj. en milieu humide. *Comptes Rendus de l'Académie des Sciences* **123**, 955-956.
- Dorier, A.** (1942). Sur la présence in France de *Chordodes tellini* (Camerano). *Bulletin du Museum national d'histoire naturelle* **14**, 332-335.
- Dorier, A.** (1946). Phasgonura (Locusta) Viridissima (L.) hôte de *Gordius albopunctatus* G. W. Müller. *Bulletin de la Societe Zoologique de France* **71**, 207-210.
- Dorier, A.** (1946). Révision de querloques espèces de Gordiacés. *Bulletin du Muséum national d'histoire naturelle* **18**, 480-494.
- Dorier, A.** (1965). Classe des Gordiacés. In *Traité de Zoologie, vol. 4* (ed. Grassé, P. P.), pp. 1201-1222. Masson, Paris, France.
- Dorier, A.** (1970). Nematomorpha. In *Encyclopedia of the Biological Sciences, 2nd edition* (ed. Gray, P.), pp. 670-671. Van Nostrand Reinhold Co., New York, New York.
- Dufour, L.** (1828). Observations sur une nouvelle espèce de vers du genre Filaria. *Annales des Sciences Naturelles, Paris* **14**, 222-224.
- Dufour, L.** (1837). Recherches sur quelques Entozoaires et parasites des insectes Orthoptères et Hyménoptères. *Annales des Sciences Naturelles, Paris* **2**, 5-20.
- Dujardin, F.** (1842). Mémoire sur la structure anatomique des *Gordius* et d'un autre helminthe, le *Mermis*, qu'on a confondu avec eux. *Annales des Sciences Naturelles, Paris (Zoology)* **2**, 129-151.
- Eaken, R. M., and J. L. Brandenburger.** (1974). Ultrastructural features of a gordian worm (Nematomorpha). *Journal of Ultrastructural Research* **46**, 351-372.
- Ebner, R.** (1940). Veränderungen an Orthoptern durch parasitische Würmer. *Transactions of the International Congress of Entomology No. 6*, 341-347.
- Ehlers, U., Ahlrichs, W., Lemburg, C. and Schmidt Rhaesa, A.** (1997). Phylogenetic systematization of the Nematelminthes (Aschelminthes). *Verhandlungen der Deutschen Zoologischen Gesellschaft* **89**, 8.
- Ehlke, T. A.** (1979). Effects of Landfill Leaching on Water Quality and Biology of a Nearby Stream, South Cairo, Greene County, New York. *Geological Survey, Water-Resources Investigations* **22161**, 1-18.
- Erber, A., Riemer, D., Bovenschulte, M. and Weber, K.** (1998). Molecular phylogeny of metazoan intermediate filament proteins. *Journal of Molecular Evolution* **47**, 751-762.
- Esch, G. W. and Fernández, J. C.** (1993). *A functional biology of parasitism : ecological and evolutionary implications*. 1st. Chapman & Hall, London.
- Esser, R. P.** (1980). Nematomorpha. *Nematology circular, Division of Plant Industry, Florida Department of Agriculture and Consumer Services*.
- Fernando, A. and Fernando, C. H.** (1961). A second case of a hairworm (Gordiacea) "parasitic" in a man in Malaya. *Singapore Medical Journal* **2**, 78-80.
- Fernando, C. H. and Dissanaiké, A. S.** (1962). A hairworm (Gordiacea) "parasitic" in a child in Ceylon. *Ceylon Journal of Medical Sciences* **11**, 47-49.
- Fewkes, J. W.** (1883). On the development of certain worm larvae. *Bulletin of the Museum of Comparative Zoology at Harvard College* **11**, 167-208.

- Feyel, T.** (1936). Researches histologiques sur *Nectonema agile* Verr. étude de la forme parasitaire. *Archives d'Anatomie Microscopique* **32**, 197-234.
- Fiedler, A., Jr.** (1909). Fadenwurm aus einer Raupe von *Cucullia scrophulariae* Cap. *Zeitschrift für wissenschaftliche Insektenbiologie* **5**, 135.
- Filipjev, I. N. and Schuurmans-Stekhoven, J. H., Jr.** (1941). Supplement: Gordiaceae or Nematomorpha. In *A Manual of Agricultural Helminthology* (eds. Filipjev, I. N. and Schuurmans Stekhoven, J. H., Jr.), pp. 857-872. E. J. Brill, Leiden.
- Fiori, G. M.** (1881). Un caso parassitismo di *Gordius* adulto nell' uomo. *Giornale Accad Med Torino* **3. s. 29**, 727-736.
- Flynn, R. J.** (1973). *Parasites of laboratory animals*. [1st]. Iowa State University Press, Ames,.
- Forbes, S. A.** (1880). Notes on insectivorous Coleoptera. *Bulletin of the Illinois Laboratory of Natural History* **1**, 167-176.
- Foresi, C. and Caroli, G.** (1968). Sulla presenza di elminti del Genere *Gordius* in acque potabili condottate. *Riv Ital Ig* **28**, 580-588.
- Fowler, J. H.** (1892). A curious parasite. *Entomologist* **25**, 247.
- Fowler, J. H.** (1892). A curious parasite (1). *Entomologist* **25**, 247.
- Fryer, G.** (1991). *A natural history of the lakes, tarns and streams of the English Lake District*.
- Furuta, K. and Koizumi, C.** (1975). The mortality factors of experimental populations of *Lymantria dispar* in a Larch plantation and natural forest. *Journal of the Japanese Forestry Society* **57**, 432-435.
- Gangwere, S. K.** (1961). A monograph on food selection in Orthoptera. *Transactions of the American Entomological Society* **87**, 67-230.
- Gao, G. H.** (1989). A case report of human Gordiaceae infection. *Chinese Journal of Parasitology and Parasitic Diseases* **7**, 111.
- Garey, J. R. and Schmidt-Rhaesa, A.** (1998). The essential role of "minor" phyla in molecular studies of animal evolution. *American Zoologist* **38**, 907-917.
- Garman, S.** (1886). *Amblystoma* and *Gordius*. *Scientific Observer* **7**, 550.
- Gemminger** (1849). Fadenwürmer in einer Raupe. *Stettiner Entomologische Zeitung* **10**, 63-64.
- Girard, C.** (1851). Historical sketch of Gordiaceae. *Proceedings of the Academy of Natural Sciences of Philadelphia* **5**, 279-284.
- Giribet, G., Distel, D. L., Polz, M., Sterrer, W. and Wheeler, W. C.** (2000). Triploblastic relationships with emphasis on the acoelomates and the position of Gnathostomulida, Cycliophora, Plathelminthes, and Chaetognatha: A combined approach of 18S rDNA sequences and morphology. *Systematic Biology* **49**, 539-562.
- Giribet, G. and Wheeler, W. C.** (1999). The Position of Arthropods in the Animal Kingdom: Ecdysozoa, Islands, Trees, and the "Parsimony Ratchet". *Mol Phylogenet Evol* **13**, 619-623.
- Giudicelli, J. and Nicoli, R. M.** (1962). Un *Gordionus* nouveau, *Gordionus cyrnensis* s. sp. (Gordioidea). *Ann Parasit Hum Comp* **37**, 616-622.
- Gliesch, R.** (1933). *Gordius aquaticus* in *Mantis religiosa* and *Eustrongylus gigas* in *Canis jubatus*, Brasil. *Egatea* **18**, 218-219.

- Gonzalez, R. H., and M. A. Barra** (1984). Grillos de importancia cuarentenaria (Crickets of quarantine importance). *Revista-Fruticola* **5**, 99-100.
- Goodey, T.** (1963). Appendix: Harirworms. In *Soil and Freshwater Nematodes* pp. 375-377. Methuen & Co. Ltd., London, England.
- Gormley, L. H. L., Furley, P. A. and Watt, A. D.** (2007). Distribution of ground-dwelling beetles in fragmented tropical habitats. *Journal of Insect Conservation* **11**, 131-139.
- Gray, D. A. and Cade, W. H.** (2000). Senescence in field crickets (Orthoptera; Gryllidae): examining the effects of sex and a sex-biased parasitoid. *Canadian Journal of Zoology* **78**, 140-143.
- Green, E. E.** (1902). Notes on a species of *Gordius* parasitic in the body of a Mantis. *Journal of the Bombay Natural History Society* **14**, 610.
- Greet, D. N., and R. N. Perry** (1983). Nematoda and Nematomorpha. In *Reproductive Biology of Invertebrates: Sexual differentiation and Biology* (ed. Adiyodi, K. G., and R. G. Adiyodi), pp. 147-173. John Wiley & Sons, Chichester ; New York.
- Grenacher, H.** (1868). Zur Anatomie der Gattung *Gordius* L. *Zeitschrift für Wissenschaftliche Zoologie* **18**, 322-344.
- Grenacher, H.** (1869). Über die Muskelelemente von *Gordius*. *Zeitschrift für Wissenschaftliche Zoologie* **19**, 287-288.
- Grube, E.** (1849). Über einige Anguillulen und die Entwicklung von *Gordius aquaticus*. *Archiv für Naturgeschichte* **15**, 358-386.
- Guéguen, F.** (1905). Nouveau cas de pseudo-parasitisme d'un *Gordius* dans le tube digestif de l'homme. *Comptes Rendus de l'Académie des Sciences* **59**, 398-400.
- Guéguen, F.** (1905). Sur un nouveau cas de parasitisme occasionnel, dans le tube digestif de l'homme, d'un nématode du Genre *Gordius* Duj. *Bulletin des sciences pharmacologiques* **12**, 257-266.
- Hall, M. C.** (1912). *Gordius aquaticus* L. as a parasite of man. *Science* **35**, 636.
- Hanelt, B.** (2004). Nematomorpha. In *Grizmek's Animal Life Encyclopedia: Lower Metazoa, 2nd edition* (eds. Hutchins, M. and Thoney, D.), pp. 350-355. Schlager Group Inc., Champaign, IL.
- Hanelt, B., Grother, L. E. and Janovy, J., Jr.** (2001). Physid snails as sentinels of freshwater nematomorphs. *Journal of Parasitology* **87**, 1049-1053.
- Hanelt, B. and Janovy, J., Jr.** (1999). The life cycle of a horsehair worm, *Gordius robustus* (Gordioidea: Nematomorpha). *Journal of Parasitology* **85**, 139-141.
- Hanelt, B. and Janovy, J., Jr.** (2000). New host and distribution record of *Gordius difficilis* (Nematomorpha: Gordioidea) from a vivid metallic ground beetle *Chlaenius prasinus* (Coleoptera: Carabidae) from western Nebraska, USA. *Comparative Parasitology* **67**, 107-108.
- Hanelt, B. and Janovy, J., Jr.** (2002). Morphometric analysis of non-adult characters of common species of American gordiids (Nematomorpha: Gordioidea). *Journal of Parasitology* **88**, 557-562.
- Hanelt, B. and Janovy, J., Jr.** (2003). Spanning the gap: identification of natural paratenic hosts of horsehair worms (Nematomorpha: Gordioidea) by experimental determination of paratenic host specificity. *Invertebrate Biology* **122**, 12-18.

- Hanelt, B. and Janovy, J., Jr.** (2004). Life cycle and paratenesis of American gordiids (Nematomorpha: Gordiida). *Journal of Parasitology* **90**, 240-244.
- Hanelt, B. and Janovy, J., Jr.** (2004). Untying a Gordian knot: the domestication and laboratory maintenance of a Gordian worm, *Paragordius varius* (Nematomorpha: Gordiida). *Journal of Natural History* **39**, 939-950.
- Hanelt, B., Thomas, F. and Schmidt-Rhaesa, A.** (2005). Biology of the phylum Nematomorpha. *Advances in Parasitology* **59**, 243-305.
- Hanski, I., Koivulehto, H., Cameron, A. and Rahagalala, P.** (2007). Deforestation and apparent extinctions of endemic forest beetles in Madagascar. *Biol Lett* **3**, 344-347.
- Harris, A. C.** (1990). *Phaulacridium marginale* (Walker) (Acrididae) parasitised by a gordian worm (Nematomorpha; Gordioida). A note. *Weta* **13**, 27.
- Harris, E. A.** Some observations on the Nematomorpha (Gordiaceae) of the British Isles. *British Society for Parasitology: Proceedings* 19-20.
- Hartmeyer, R.** (1909). IV. Gordiidae. In *Die Süßwasser fauna Deutschlands* (ed. Brauer, A. v.), pp. 86-88. Verlag von Gustav Fischer, Jena.
- Hausman, L. A.** (1923). The "horse-hair snake". An account of the extraordinary life history of one of our common worms. *Scientific American* **129**, 402.
- Havlik, O.** (1947). Revise ceskych Gordioidi (Nematomorpha). *Vestnik Ceskoslovenske zoologicke spolecnosti (Acta Societatis Zoologicae Cechoslovenicae)* **11**, 159-184.
- Havlik, O.** (1949). Contribution to the description of some species of the genus *Gordionus* from Central Europe. *Vestnik Ceskoslovenske zoologicke spolecnosti (Acta Societatis Zoologicae Cechoslovenicae)* **13**, 101-110.
- Havlik, O.** (1949). A new species of *Gordius* (Nematomorpha) from Czechoslovakia. *Vestnik Ceskoslovenske zoologicke spolecnosti (Acta Societatis Zoologicae Cechoslovenicae)* **13**, 111-118.
- Havlik, O.** (1954). Nové druhy strunovcu z Ceskoslovenska (Gordioidea, Nematomorpha). *Cesk Parasitol* **1**, 85-95.
- He, X. Y.** (1995). Report of a case passing *Gordius* via the urethra. *Chinese Journal of Parasitology and Parasitic Diseases* **13**, 199.
- Heinze, K.** (1933). Revision von *Gordius flavus* Linstow 1906 und *Gordius flavus* G. W. Müller 1927. *Zoologischer Anzeiger* **105**, 106-109.
- Heinze, K.** (1934). Zur Systemtic der Gordiiden. *Zoologische Anzeiger* **106**, 189-192.
- Heinze, K.** (1935). Über Gordiiden. *Zoologischer Anzeiger* **111**, 23-32.
- Heinze, K.** (1935). Weitere neue *Parachordodes*-Arten aus Asien. *Zoologischer Anzeiger* **112**, 155-158.
- Heinze, K.** (1936). Die bisher aus der Mark Brandenburg sicher bekannten Gordiiden. *Märk Tierwelt* **2**, 25-31.
- Heinze, K.** (1936). Über das genus *Parachordodes* Camerano 1897 nebst allgemeinen angaben über die familie Chordodidae. *Zeitschrift für Parasitenkunde* **9**, 263-344.
- Heinze, K.** (1937). Die Saitenwürmer (Gordioidea) Deutschlands. *Zeitschrift für Parasitenkunde* **9**, 261-344.
- Heinze, K.** (1940). Neue deutsche Saitenwürmer aus der Gattung *Gordionus* und *Gordius*. *Zoologischer Anzeiger* **5/6**, 139-146.

- Heinze, K.** (1941). Wümer oder Vermes III: Saitenwümer oder Gordioidea (Nematomorpha). In *Die Tierwelt Deutschlands* pp. 1-78. Verlag von Gustav Fisher, Gena,
- Heinze, K.** (1952). Über Gordioidea. Eine systematische Studie über Insektenparasiten aus der Gruppe der Nematomorpha. *Zeitschrift für Parasitenkunde* **15**, 183-202.
- Hendriks, L., Van Broeckhoven, C., Vandenberghe, A., Van de Peer, Y. and De Wachter, R.** (1988). Primary and secondary structure of the 18S ribosomal RNA of the bird spider *Eurypelma californica* and evolutionary relationships among eukaryotic phyla. *Eukaryotic Journal of Biochemistry* **177**, 15-20.
- Herter, C. D. and Neese, R. E.** (1989). Pseudoparasitism with *Gordius robustus*. *American Family Physician* **39**, 139-142.
- Herzog, H.** (1913). *Gordius* als parasit des Menschen. *Korrespondenz -Blatt für Schweizer Ärzte* **43**, 1065-1068.
- Higgins, R. P. and Storch, V.** (1989). Ultrastructural observations of the larva of *Tubiluchus corallicola* (Priapulida). *Helgoländer Meeresuntersuchungen* **43**, 1-11.
- Higgins, R. P., Storch, V. and Shirley, T. C.** (1993). Scanning and transmission electron microscopical observations on the larvae of *Priapulus caudatus* (Priapulida). *Acta Zoologica* **74**, 301-319.
- Hofmänner, B.** (1913). Gordiiden und Mermithiden aus dem thurgauischen naturhistorischen Museum zu Frauenfeld. *Mitteilungen der Thurgaurischen Naturforschungs Gesellschaft* **20**, 282-286.
- Horton, M. L.** (1986). Nonparasitic worm vomited by a dog. *Modern Veterinary Practice* **67**, 905.
- Houdemer, E.** (1932). A propos de Gordiacés, parasites d'insectes orthopteres du Tonkin. *Bull Soc Méd - Chirurg Indochine* **10**, 227-231.
- Houdemer, E. F.** (1938). *Recherches de Parasitologie Comparée Indochinoise*. E. LeFrancois, Paris.
- Huss, J.** (1931). Über die Begattung bei *Nectonema munidae* Br. und über den Fund der Larve von dieser Art. *Zoologischer Anzeiger* **97**, 33-37.
- Hyman, L. H.** (1951). IX. Class Nematomorpha. In *The invertebrates* pp. 455-472. McGraw-Hill Book Company, Inc., New York, New York.
- Ichihara, A., Kamegai, S., and Nonnobe, H.** (1967). The second case of hair worm, *Gordius* sp. (Nematomorpha) vomitted from human body in Japan. *Research Bulletin of the Meguro Parasitological Museum* **1**, 23-25.
- Inglis, W. G.** (1985). Evolutionary waves: patterns in the origins of animal phyla. *Australian Journal of Zoology* **33**, 153-178.
- Inoue, I.** (1951). An additional new species of Gordiacean parasitizing praying mantids, and the domestic and overseas distribution of the genus *Chordodes*. *Zoological Magazine (Tokyo)* **60**, 32.
- Inoue, I.** (1952). Classification of Japanese *Chordodes* (Gordiaceae). *Zool Mag Tokyo* **61**, 27-32.
- Inoue, I.** (1952). On a new species of *Chordodes* (Gordiaceae) from Japan. *Annotationes Zoologicae Japonenses* **25**, 400-402.
- Inoue, I.** (1955). Synopsis of Japanese Gordiaceae, with a note on a new species. *Bulletin of the Biogeographical Society of Japan* **16-19**, 31-35.

- Inoue, I.** (1958). Studies on the life history of *Chordodes japonensis*, a species of Gordiacea. I. The development and structure of the larva. *Japanese Journal of Zoology* **12**, 203-218.
- Inoue, I.** (1959). Distribution of acid and alkaline phosphatases in the hairworm, *Chordodes japonensis*. *Annotationes Zoologicae Japonenses* **32**, 209-213.
- Inoue, I.** (1959). On the adult organization of *Chordodes japonensis* (a species of Gordiacea). *Zoological Magazine Tokyo* **68**, 151-156.
- Inoue, I.** (1960). Studies on the ecology of the larvae of the hairworm, *Chordodes japonensis*. *Bulletin of the Tokyo Gakugei University* **11**, 21-25.
- Inoue, I.** (1960). Studies on the life history of *Chordodes japonensis*, a species of Gordiacea II. On the manner of entry into the aquatic insect-larvae of *Chordodes* larvae. *Annotationes Zoologicae Japonenses* **33**, 132-141.
- Inoue, I.** (1962). Studies on the life history of *Chordodes japonensis*, a species of Gordiacea III. The modes of infection. *Annotationes Zoologicae Japonenses* **35**, 12-19.
- Inoue, I.** (1966). A new species of *Euchordodes* (Gordiacea) from Malaysia. *Annotationes Zoologicae Japonenses* **39**, 60-62.
- Inoue, I.** (1972). The fauna of the lava caves around Mt. Fuji-san. VIII. Gordiacea. *Bulletin of the National Science Museum* **15**, 167-169.
- Inoue, I.** (1974). A new species of the Genus *Chordodes* (Gordiacea) from Ethiopia. *Annotationes Zoologicae Japonenses* **47**, 107-109.
- Inoue, I.** (1979). Two new species of *Gordius* (Gordioidea) from Japan. *Annotationes Zoologicae Japonenses* **52**, 235-239.
- Inoue, I.** (1994). Gordiod specimens deposited at the Toyama Science Museum. *Bulletin of the Toyama Science Museum* **17**, 101-103.
- Inoue, I. and Fukui, T.** (1953). A note on a new species of *Gordius* from Japan. *Bulletin of the Tokyo Gakugei University* **4**, 37-39.
- Issacs** (1854). Gordian worms (?) from the skin. *American Medical Monthly* **2**, 419.
- Janda, J.** (1894). Beiträge zur Systematik der Gordiiden. *Zoologische Jahrbücher* **7**, 595-612.
- Jenkins, D. W.** (1964). Pathogens, parasites and predators of medically important arthropods. Annotated list and bibliography. *Bulletin of the World Health Organization* **30 (supplement)**, 1-150.
- Jimenez Millan, F. and Millan, F. J.** (1976). Spanish nematomorpha (Gordiacea). *1er Congreso Nacional de Parasitología* 94.
- Joilvet, P.** (1948). Introduction a l'étude des Gordiacés, vers parasite d'insectes. *Miscellanea Entomologica* **45**, 83-90.
- Jolivet, P.** (1946). Nouvelle station française et nouvel hôte du ver *Gordius aquaticus*. *Miscellanea Entomologica* **42**, 139-140.
- Jolivet, P.** (1998). Manipulation du comportement chez les Fourmis et les Coléoptères sous l'influence de leurs parasites. *L'Entomologiste* **54**, 211-222.
- Jolivet, P. and Théodorides, J.** (1950). Les helminthes parasites de coléoptères chrysomélides. *Annales de parasitologie humaine et comparée* **25**, 340-349.
- Jördens, J. H.** (1802). *Entomologie und Helminthologie des menschlichen Körpers, oder Beschreibung und Abbildung der Bewohner und Feinde desselben unter den Insekten und Würmern.* Gottfried Adelph Grau,

- Joseph, S. A.** (1984). The occurrence of the horsehair worm (*Gordius* sp.) in the house cricket, *Acheta domesticus*. *Cheiron* **13**, 322-323.
- Kagei, N.** (1977). Discussion on the human parasitism with "hair worms" (Gordioidea: Nematomorpha). *Bulletin of the Institute of Public Health* **26**, 14-18.
- Kagei, N., Oshima, T., Inoue, I. and Kumaski, T.** (1966). First human case on gordiid worm in Japan (Nematomorpha: Gordiidae). *Japanese Journal of Parasitology* **15**, 79-81.
- Kaletskaia, S. L.** (1960). Parasite fauna of fish of lake Losvida. *Vestsi Akademii Navuk BSSR Seryia Biialahichnykh Navuk* **4**, 118-124.
- Kamegai, S.** (1967). Gordiacea, Mesocostoides. *Igaku No Ayumi* **61**, 239-241.
- Kelly, S. N.** (1955). Infestation of the Norwich, England, Water System. *Journal of the American Water Works Association* **47**, 330-334.
- Kinziger, A. P., Cochran, P. A. and Cochran, J. A.** (2002). Additional cases of predation on horsehair worms (Phylum Nematomorpha), with a recent record for Missouri. *Transactions of the Missouri Academy of Science* **3**, 1-11.
- Kirjanova, E. S.** (1950). Nematomorpha from the basin of the River Zeravshan. *Treat Zool Inst, Ak Sci USSR* **9**, 255.
- Kirjanova, E. S.** (1953). A new Species of hairworm (*Chordodes oscillatus* sp. nov.) from Georgia. *Soobsh. Akad. Nauk Gruzinsky* **14**, 101-103.
- Kirjanova, E. S.** (1954). Nematomorpha, their biology and economic significance. *Trudi Problem. Tematich. Sovesh Akad. Nauk SSR* **4**, 148-152.
- Kirjanova, E. S.** (1955). New Species of hairorms from the USSR. *Trudy Zool Inst Akad Nauk SSR* **21**, 152-160.
- Kirjanova, E. S.** (1957). Two new species of Nematomorphs of the Genus *Chordodes* (Creplin, 1847) Möbius, 1855. *Zoologicheskii Zhurnal* **36**, 1159-1166.
- Kirjanova, E. S.** (1958). A new species, *Spinochondodes skrjabini*, nov. sp. (Nematomorpha, Gordioidea) from Armenia. In *Raboty po gel' mintologii k 80-letiju academica K.I. Skrjabina (papers in helminthology to the celebration of the 80th anniverdary of K. I. Skrjabin)* pp. 152-157. Publ. House USSR Acad. Sci., Moscow, Russia.
- Kirjanova, E. S.** (1959). Permeability of the cuticle in freshwater hairworms (Nematomorpha: Gordioidea). *Zoologicheskii Zhurnal* **38**, 509-519.
- Kirjanova, E. S.** (1971). Hairworms (Nematomorpha)--parasites of insect pests. [Biological control]. *Zashch Rastenii* **12**, 32-34.
- Kirjanova, E. S.** (1971). Nematomorpha, parasites of insects. *Zash rastenii* **12**, 31-34.
- Kirtland** (1835 (1844)). *Gordius aquaticus* in a grasshopper. *Abstr. Proc. Ashmolean Soc (London)* **1**, 5.
- Kloft, W.** (1951). Pathologische untersuchung an einem waspen weibchen, infiziert durch einen gordioiden (Nematomorpha). *Zeitschrift für Parasitenkunde* **15**, 134-147.
- Kochalka, J. A.** (1996). [List of invertebrates of Paraguay in the collections of the National Natural History Museum of Paraguay.]. *Romero Martinez, O. [Ed.]. Colecciones de flora y fauna del Museo Nacional de Historia Natural del Paraguay. [Collections of flora and fauna of the Museo Nacional de Historia Natural del Paraguay.] Museo Nacional de Historia Natural del Paraguay, San Lorenzo* 69-283.

- Koval'chuk, A. A.** (1988). Oxygen consumption by *Gordius* sp. (Gordiacea, Cephalorhyncha). *Biologicheskie Nauki (Moscow)* **0**, 48-51.
- Krall, E.** (1959). Hairworms and mermithids--parasites of insects. *Eesti Loodus* **4**, 216-220.
- Krone, O. and Cooper, J. E.** (1999). Hairworms of birds of prey [letter]. *Veterinary Record* **145**, 115.
- Laboulbene, J. J. A.** (1864). Note sur un helminthe parasite de Genre *Mermis* sorti du corps d'un orthoptère a la Nouvelle-Calédonie. *Annales de la Société entomologique de France* ser **4**, **4**, 678.
- Laboulbène, J. J. A.** (1897). Sur la détermination d'un faux parasite du genre *Gordius*. *Bulletin de l'Academie Nationale de Medecine, Paris* **37**, 675.
- Lanzavecchia, G., Valvassori, R., and M. De Eguileor** (1977). Bipolarity in thick filaments of *Nematomorpha*. *Journal of Molecular Biology* **111**, 371-374.
- Lanzavecchia, G., De Eguileor, M., Valvassori, R. and Scari, G.** (1995). Body cavities of *Nematomorpha*. In *Body Cavities: function and phylogeny* (eds. Lanzavecchia, G., Valvassori, R. and Candia Carnevali, M. D.), pp. 45-60. Mucchi, Modena.
- Lanzavecchia, G., Valvassori, R., De Eguileor, M. and Lanzavecchia, P., Jr.** (1979). Three-dimensional reconstruction of the contractile system of the *Nematomorpha* muscle fiber. *Journal of Ultrastructural Research* **66**, 201-223.
- Lataste, F.** (1896). *Gordius* et *Mantis*. *Actes de la Sociedad Cientifica de Chile* **6**, 71-73.
- Lee, D. L.** (1970). The ultrastructure of the cuticle of adult female *Mermis nigrescens* (Nematoda). *Journal of Zoology* **161**, 513-518.
- Lee, D. L. and Atkinson, H. J.** (1977). *Physiology of nematodes*. 2d. Columbia University Press, New York.
- Lee, K. J., Bae, Y. T., Kin, D. H., Deung, Y. K., Ryang, Y. S., I., I. K. and S, Y. T.** (2003). A *Gordius* worm found in a three year old girl's vomitus. *Yonsei Medical Journal* **44**, 557-560.
- Leffler, S. R.** (1984). Record of a horsehair worm (*Nematomorpha*: Gordiidae) parasitizing *Chlaenius sericeus* Forster (Coleoptera: Carabidae) in Washington. *Coleopterists Bulletin* **38**, 130.
- Legrand** (1858). Sur le *Gordius dystiscorum*. *Annales de la Société entomologique de France* **3 s.**, **6**, 185-187.
- Leidy, J.** (1850). Notes on the development of *Gordius aquaticus*. *Proceedings of the Academy of Natural Sciences of Philadelphia* **5**, 98-100.
- Leidy, J.** (1851). New species, *Gordius robustus*. *Proceedings of the Academy of Natrual Sciences, Philadelphia* **5**, 275.
- Leidy, J.** (1851). Observations upon the ova of *Gordius aquaticus*. *Proceedings of the Academy of Natural Sciences of Philadelphia* **5**, 266.
- Leidy, J.** (1851). On the Gordiacea. *Proceedings of the Academy of Sciences, Philadelphia* **5**, 262-263.
- Leidy, J.** (1851). Proceedings Notes. *Proceedings of the Academy of Natural Sciences of Philadelphia* **5**, 262, 275.
- Leidy, J.** (1852). Notes on the development of the *Gordius aquaticus*. *Proceedings of the Academy of the Natural Sciences of Philadelphia* **5**, 98-100; 262; 275.

- Leidy, J.** (1856). A synopsis of Entozoa and some of their ectocongeners observed by the author. *Proceedings of the Academy of Natural Sciences of Philadelphia* **8**, 42-58.
- Leidy, J.** (1857). Meeting Notes. *Proceedings of the Academy of Natural Sciences, Philadelphia* **9**, 204.
- Leidy, J.** (1870). The *Gordius*, or hair-worm. *American Entomologist and Botanist* **2**, 193-197.
- Leidy, J.** (1878). Notice of some worms, *Dibothrium cordiceps*, *Hirudo*, *Gordius*. *Proceedings of the Academy of Natural Sciences, Philadelphia* **23**, 305-307.
- Leidy, J.** (1878). On *Gordius* infesting the cockroach and leech. *Proceedings of the Academy of Sciences of Philadelphia* **30**, 383-384.
- Leidy, J.** (1879). On *Gordius* and on some parasites of the rat. *Proceedings of the Academy of Natural Sciences, Philadelphia* **31**, 10-11.
- Léon, N.** (1914). Le *Gordius* parasite accidental chez l'homme. *Proc. Congr. Int. Path. Comp.* **1**, 182-183.
- Léon Varela, J. a. E. G.** (1962). Un caso de parasitosis humana por Goriaceo. *An. Cien. Asoc. Med. Gallego, Buenos Aires* **10**, 67-68.
- Leslie, H. A., Campbell, A. and Daborn, G. R.** (1981). Nectonema (Nematomorpha: Nectonematoidea) a parasite of decapod Crustacea in the Bay of Fundy. *Canadian Journal of Zoology* **59**, 1193-1196.
- Lever, R. A.** (1963). Gordiid worms as trout food in Co. Wexford. *The Irish Naturalists' Journal* **14**, 155.
- Leydig, F.** (1853). Zoologische Notizen. *Zeitschrift für wissenschaftliche Zoologie* **4**, 377-387.
- Liang-Sheng, Y. a. J., P** (1957). On a new Gordiid worm, *Pseudogordius tanganyikae* gen. et. sp. nov., parasitic in man. 313-316.
- Lincoln, R. J. and Sheals, J. G.** (1979). Invertebrate animals - collection and preservation. **4**.
- Linnæ, C. v.** (1758). *Caroli Linnæi ... Systema naturæ per regna tria naturæ, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis.* Ed. 10., reformata. impensis L. Salvii, Holmiæ.,.
- Linstow** (1906). Gordiiden und Mermithiden des Königlichen Zoologischen Museums in Berlin. *Mitteilungen aus dem Zoologischen Museum in Berlin.* **3**, 243-248.
- Linstow, O., von** (1883). Über die Zwischenwirthe des *Gordius aquaticus*. *Zoologischer Anzeiger* **6**, 373-374.
- Linstow, O., von** (1889). Über die Entwicklungsgeschichte und die Anatomie von *Gordius tolosanus* Duj. = *G. subbifurcus* v. Siebold. *Archiv für mikroskopische Anatomie* **39**, 325-343.
- Linstow, O., von** (1891). Über die Entwicklungsgeschichte von *Gordius tolosanus* Duj. *Centralblatt für Bakteriologie und Parasitenkunde* **9**, 760-762.
- Linstow, O., von** (1891). Weitere Beobachtungen an *Gordius tolosanus* und *Mermis*. *Archiv für mikroskopische Anatomie* **37**, 239-249.
- Linstow, O., von** (1892). Beobachtung an Helminthenlarven. *Archiv für mikroskopische Anatomie* **39**, 325-343.
- Linstow, O., von** (1897). Nemathelminthen grösstentheils in Madagascar gesammelt. *Archiv für Naturgeschichte* **63**, 27-34.

- Linstow, O., von** (1898). Helminthologische Beobachtungen. Zur Entwicklungsgeschichte von *Gordius aquaticus* Gmel. *Archiv für mikroskopische Anatomie* **51**, 747-763.
- Linstow, O., von** (1901). Helminthen von den Ufern des Nyassa Sees, ein Beitrag zur Helminthen-fauna von Süd-Afrika. *Japanische Zeitschrift für Naturwissenschaft* **35, 28**, 409-428.
- Linstow, O., von** (1906). Gordiiden und Mermithiden des Königlichen Zoologischen Museums in Berlin. *Mitteilungen aus dem Zoologischen Museum in Berlin* **3**, 241-248.
- Lister, M.** (1672). Concerning animated horse-hairs, rectifying a vulgar error. *Transactions of the Royal Philosophical Society* **7**, 4064-4066.
- LongQi, X., ZeXiao, J., MinYi, Y., LQ, X., ZX J. and Y. MY** (1997). Survey of human parasite species in China. *Chinese Journal of Parasitology and Parasitic Diseases* **15**, 311-315.
- Lorenzen, S.** (1985). Phylogenetic aspects of pseudocoelomate evolution. In *The Origins and relationships of lower invertebrates: proceedings of an international symposium held in London, September 1983* (eds. Conway Morris, S., George, J. D., Gibson, R. and Platt, H. M.), pp. xi, 397. Systematics Association, Clarendon Press, Oxford.
- Mackie, D. B.** (1913). The Philippine locust (*Pachytytus migratoroides*, R. & F.); natural influences affecting its propagation and distribution. *The Philippine agricultural review* **6**, 538-547.
- Maeyama, T., Terayama, M. and Matsumoto, T.** (1994). The abnormal behavior of *Colobopsis* sp. (Hymenoptera, Formicidae) parasitized by *Mermis* (Nematoda) in Papua New Guinea. *Sociobiology* **24**, 115-119.
- Maggenti, A.** (1981). *General nematology*. Springer Verlag, New York, New York.
- Mahler, F.** (1951). Wie gelangt Gordius in den Leib der Heuschrecken? *Archiv für Hydrobiologie* **45**, 393-394.
- Malakhov, V. V.** (1980). Cephalorhyncha, a new type of animal kingdom uniting Priapulida, Kinorhyncha, Gordiacea, and a system of Aschelminthes worms. *Zoologicheskii Zhurnal* **59**, 485-499.
- Malakhov, V. V., and A. V. Adrianov** (1995). *Cephalorhyncha- a new type of animal kingdom*. KMK Scientific Publishings, Moscow.
- Malakhov, V. V., Bentz, G. V. and Hope, W. D.** (1994). *Nematodes: structure, development, classification, and phylogeny*. Smithsonian Institution Press, Washington D.C.
- Malakhov, V. V. and Spiridonov, S. E.** (1982). *Gordionus senkovi*, a new species of gordiids (Nematomorpha) and some stages of its embryonic development. *Zoologicheskii Zhurnal* **61**, 810-816.
- Malakhov, V. V. and Spiridonov, S. E.** (1984). Embryonic development of *Gordius* sp. from Turkmenia and consideration of the position of Nematomorpha in the Animal Kingdom. *Zoologicheskii Zhurnal* **63**, 1285-1296.
- Malmqvist, B. and Moravec, F.** (1978). *Gordius aquaticus* larvae found in the lampreys *Lampetra planeri* (Bloch) and *L. fluviatilis* (L.). **25**, 40.
- Manganeli, G.** (1990). Gli invertebrati. Phylum Nematomorpha. *Carta Della Natura* **1**, 39-40.

- Mao, S. P.** (1991). Protozoan and helminth parasites of humans in mainland China. *International Journal for Parasitology* **21**, 347-351.
- Martin, A. R.** (1775). Fadenwürmer bei Menschen und Thieren. *Phys. Oekonom Biblioth. Göttingen* **6**, 431.
- Martin, A. R.** (1775). Gordier, Knoten oder Fadenwürmer bei Fischen und Menschen gefunden mit versuchten Mitteln Solche zu vertreiben. *K. Schwed. Akad. Wiss. Abhandl. Leipzig* **33**, 258-266.
- Martin, A. R.** (1777). Gordier, Knut eller Tråd-masker, Funde hos Fiskar och Människar, med forsokte medel at dem fordrifva. *K. Vetensk. Acad. Handl. Stockholm* **32**, 261-269.
- Martin, W. E.** (1973). Electron scan of a nematomorph cuticle. *Proceedings of the Helminthological Society of Washington* **40**, 173-177.
- Mattes, O. and Wignand, R.** (1958). *Helminthen und Helminthiasen des Menschen*. VEB Gustav Fischer, Jena.
- Maxwell, J. P.** (1908). A case of infection with one of the Gordiacea. *China Medical Journal* **22**, 98.
- May, H. G.** (1919). Contributions to the life histories of *Gordius robustus* (Leidy) and *Paragordius varius* (Leidy). *Illinois Biological Monographs* **5**, 1-119.
- McCook, H. C.** (1884). Note on the intelligence of a cricket parasitised by a Gordius. *Proceedings of the National Academy of Sciences, Philadelphia* **36**, 293-294.
- McLennan, J. A., and B. W. H. MacMillan** (1984). The food of rainbow trout (*Salmo gairdneri*) and brown trout (*Salmo trutta*) in the Mohaka and other rivers of Hawkes Bay, New Zealand. *New Zealand Journal of Marine and Freshwater Research* **18**, 143-158.
- Meissner, G.** (1856). Beiträge zur Antonomie und Physiologie der Gordiaceen. *Zeitschrift für wissenschaftliche Zoologie* **7**, 1-140.
- Meyer, N. T.** (1913). Zur Entwicklung von *Gordius aquaticus* Villot. *Zeitschrift für wissenschaftliche Zoologie* **105**, 125-135.
- Michel, A.** (1888). De l'existence d'un véritable épiderme cellulaire chez les Nématodes, et specialment les Gordiens. *Comptes Rendus de l'Académie des Sciences, Paris* **107**, 1175-1177.
- Minelli, A.** (1993). *Biological systematics : the state of the art*. 1st. Chapman & Hall, London ; New York.
- Miralles, D.** (1972). Sobre especies sudamericanas sel genero Beatogordius (Nematomorpha, Gordioidea). *Neotropica* **18**, 121-125.
- Möbius, K.** (1855). *Chordodes pilosus*, ein Wurm as der Familie der Gordiaceen. *Zeitschrift für wissenschaftliche Zoologie* **6**, 428-431.
- Moisan, P. G., Mansfield, L. S., Murphy, A. J. and Hale, A.** (1996). Incidental subcutaneous gordiid parasitism in a cat. *Journal of Veterinary Diagnostic Investigation* **8**, 270-272.
- Montén, E.** (1951). Nematomorpha: the mountain fauna of the Virihaure area in the Swedish Lapland. *Acta Univ. Lund* **46**, 162-170.
- Montgomery, T. H., Jr.** (1898). Descriptions of two new exotic species of the genus *Chordodes*. *Zoologischer Jahresbericht, Anatomie und Ontogonie* **11**, 379-344.

- Montgomery, T. H., Jr.** (1898). The Gordiacea of certain American collections with particular reference to the North American fauna II. *Proceedings of the California Academy of Sciences. 3d ser: Zoology* **1**, 333-344.
- Montgomery, T. H., Jr.** (1898). The Gordiacea of certain American collections with particular reference to the North American fauna. *Bulletin of the Museum of Comparative Zoology, Harvard* **32**, 23-59.
- Montgomery, T. H., Jr.** (1899). Synopses of North American Invertebrates. II. Gordiacea. *The American Naturalist* **392**, 647-652.
- Montgomery, T. H., Jr.** (1900). Gordiacea from the Cope Collection. *The Biological Bulletin* **3**, 95-98.
- Montgomery, T. H., Jr.** (1903). The adult organization of *Paragordius varius* (Leidy). *Zoologische Jahrbücher Abteilung für Anatomie und Ontogenie der Tiere* **18**, 387-474.
- Montgomery, T. H., Jr.** (1904). The development and structure of the larvae of *Paragordius*. *Proceedings of the Academy of Natural Sciences* **56**, 738-755.
- Montgomery, T. H., Jr.** (1907). The distribution of the North American Gordiacea, with a description of a new species. *Proceedings of the Academy of Natural Sciences of Philadelphia* **59**, 270-272.
- Montgomery, T. H., Jr.** (1907). The identity of the gordiacean species, *Chordodes morgani* and *C. puerlis*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 289-292.
- Moore, J.** (2002). *Parasites and the behavior of animals*. Oxford University Press, Oxford.
- Moravec, F.** (1963). The recognition of the helminth fauna of our reptiles. *Spisy Prir Fak Univ Brné* **446**, 353-396.
- Morris, G. K., G. E. Kerr, and D. T. Gwynne** (1975). Ontogeny of phototaxis in *Orchelium gladiator* (Orthoptera: Tettigoniidae: Conocephalinae). *Canadian Journal of Zoology* **53**, 1127-1130.
- Mühldorf, A.** (1913). Studien über die Entwicklung der Nematomorphen (Vejd.). *Zoologischer Anzeiger* **42**, 31-36.
- Mühldorf, A.** (1914). Beiträge zur Entwicklungsgeschichte und zu den phylogenetischen Beziehungen der *Gordius* Larve. *Zeitschrift für wissenschaftliche Zoologie* **111**, 1-75.
- Müller, G. W.** (1920). Beobachtung an *Gordius*. *Zoologischer Anzeiger* **51**, 225-229.
- Müller, G. W.** (1927). Über Gordiaceen. *Zeitschrift für die Morphologie und Ökologie der Tiere* **7**, 134-270.
- Müller, G. W.** (1929). Die systematische Stellung der Gordiaceen. *Zoologischer Anzeiger* **84**, 241-243.
- Müller, K.** (1982). The colonization cycle of fresh water insects. *Oecologia* **52**, 202-207.
- Muller, M. C. and Schmidt-Rhaesa, A.** (2003). Reconstruction of the muscle system in *Antygomonas* sp. (Kinorhyncha, Cyclorhagida) by means of phalloidin labeling and cLSM. *J Morphol* **256**, 103-110.
- Müller, M. C. M., Jochmann, R. and Schmidt-Rhaesa, A.** (2004). The musculature of horsehair worm larvae (*Gordius aquaticus*, *Paragordius varius*, Nematomorpha): F-actin staining and reconstruction by cLSM and TEM. *Zoomorphology* **123**, 45-54.

- Nagornaya, I. M., Andreeva, R. V. and Isaeva, N. M.** (1990). Lysozyme in host-parasite relationships between helminths and insects. *Parazitologiya* **24**, 220-224.
- Neuhaus, B., Kristensen, R. M. and Lemburg, C.** (1997). Ultrastructure of the cuticle of the Nematelminthes and electron microscopical localization of chitin. *Verhandlungen der Deutschen Zoologischen Gesellschaft* **89**.
- Nicholas, W. L.** (1970). The fine structure of the Nematomorph. *Journal of Parasitology* **56**, 249.
- Nielsen, C., Scharff, N. and Eibye-Jacobsen, D.** (1996). Cladistic analyses of the animal kingdom. *Biological Journal of the Linnean Society* **57**, 385-410.
- Nielsen, G. R.** (1997). Hairworms. *University of Vermont Extension Entomology Leaflet* **222**, 1-2.
- Nierstrasz, H. F.** (1907). *Die Nematomorpha der Siboga-expedition*. Buchhandlung und dr. vormals E.J. Brill, Leiden,.
- Nigrelli, R. F.** (1941). Hairworms as parasites of fishes. *The Journal of Parasitology*.
- Nigrelli, R. F.** (1943). Causes of diseases and death of fishes in captivity. *Zoologica* **28**, 203-216.
- Noble, E. R. and Noble, G. A.** (1976). *Parasitology : the biology of animal parasites*. 4th. Lea & Febiger, Philadelphia.
- Notman, P. R., and G. W. Yeates** (1992). Tomtit killed by worm. *NOTORNIS* **39**, 16.
- Ogawara, T.** (1980). A hairworm living in *Diestrammena japonica* Karny (Orthoptera, Stenopelmatidae). *Ueda, Entomological Society of Shinshu* **29**, 64.
- Oku, Y., Fukumoto, S., Ohbayashi, M. and Koike, M.** (1983). A marine horsehair worm, *Nectonema* sp., parasitizing atelecyclid crab, *Erimacrus isenbeckii*, from Hokkaido, Japan. *Japanese Journal of Veterinary Research* **31**, 65-69.
- Örley, L.** (1881). On hair worms in the collection of the British Museum. *The Annals and Magazine of Natural History* **47**, 325-333.
- Overstreet, R. M. and Provenzano, A. J., Jr.** (1983). Metazoan symbionts of crustaceans. *The biology of Crustacea. Chief Ed: Bliss, D.E.* **6**, 155-250.
- Parker, G. A., Chubb, J. C., Ball, M. A. and Roberts, G. N.** (2003). Evolution of complex life cycles in helminth parasites. *Nature* **425**, 480-484.
- Parona, C.** (1901). Altro caso di pseudo-parassitismo di gordio nell' uomo (*Parachordodes pustulosus*) Baird. *Clin Med Ital* **40**, 627-632.
- Patruban, C.** (1901). Über das vorkommen von *Gordius aquaticus* beim Menschen. *Wien. Med. Jahrbücher* **16**, 69.
- Paxton** (1835). *Gordius aquaticus* in an earwig. *Abstracts of the Proceedings of the Asmolean Society* **1**, 5.
- Pelser-Berensberg, H. v.** (1909). Fadenwürmer in Insekten. *Zeitschrift für die wissenschaftliche Insektenbiologie* **5**, 284-285.
- Pennak, R. W.** (1989). *Fresh-water invertebrates of the United States*. 3rd. John Wiley & Sons, Inc., New York, New York.
- Pepper, W.** (1872). *Gordius aquaticus*. *Transactions of the Pathological Society of Philadelphia* **4**, 239.
- Pérez, C.** (1927). Sur le parasitisme protélien du *Nectonema*. *Comptes Rendus de l' Académie des Sciences, Paris* **185**, 226-227.

- Perfecto, I., Vandermeer, J., Hanson, P. and Cartín, V.** (1997). Arthropod biodiversity loss and the transformation of a tropical agro-ecosystem. *Biodiversity and Conservation* **6**, 935-945.
- Petersen, J. J.** (1985). Nematodes as biological control agents: Part I. Mermithidae. *Adv Parasitol* **24**, 307-344.
- Peterson, J. J., and O. R. Willis** (1972). Procedures for the mass rearing of a mermithid parasite of mosquitoes. *Mosquito News* **32**, 226-230.
- Petit, C. (1975) A cupful of worms from her kitchen. In *San Fransisco Chronicle* (Vol. 200), pp. 3
- Pflugfelder, O.** (1977). Host reactions to animal parasites. **378**.
- Pikula, Z. P., Spiridonov, S. E. and Drljevic, E. T.** (1996). *Dacochordodes bacescui* Capuse, 1966: report of the first two isolations from humans. *Canadian Journal of Infectious Diseases* **7**, 144-146.
- Pineda-Lopez, R.** (1982). Gordioidea. In *Aquatic biota of Mexico, Central America and the West Indies* (eds. Hurlbert, S. H. and Villalobos-Figueroa, A.), pp. 529. San Diego State University, San Diego, CA.
- Pippet, J. R. and Fernando, C. H.** (1961). Hairworms--a zoological curiosity. *Malayan Nature Journal* **15**, 148-151.
- Poinar, G., Rykken, J. and LaBonte, J.** (2004). *Parachordodes tegonotus* n. sp (Gordioidea : Nematomorpha), a hairworm parasite of ground beetles (Carabidae : Coleoptera), with a summary of gordiid parasites of carabids. *Systematic Parasitology* **58**, 139-148.
- Poinar, G. O., Jr.** (1991). Hairworm (Nematomorpha: Gordioidea) parasites of New Zealand wetas (Orthoptera: Stenopelmatidae). *Canadian Journal of Zoology* **69**, 1592-1599.
- Poinar, G. O., Jr.** (1991). Nematomorpha. In *Ecology and classification of North American freshwater invertebrates* (eds. Thorp, J. H. and Covich, A. P.), pp. 273-282. Academic Press, Inc., New York.
- Poinar, G. O., Jr.** (2000). *Heydenius araneus* n.sp (Nematoda : Mermithidae), a parasite of a fossil spider, with an examination of helminths from extant spiders (Arachnida : Araneae). *Invertebrate Biology* **119**, 388-393.
- Poinar, G. O., Jr.** (2001). Nematoda and Nematomorpha. In *Ecology and classification of North American freshwater invertebrates* (eds. Thorp, J. H. and Covich, A. P.), pp. 255-295. Academic Press, San Diego.
- Poinar, G. O.** (2008). Global diversity of hairworms (Nematomorpha: Gordiaceae) in freshwater. *Hydrobiologia* **595**, 79–83.
- Poinar, G. O., Jr. and Brockerhoff, A. M.** (2001). *Nectonema zealandica* n. sp. (Nematomorpha: Nectonematoidea) parasitizing the purple rock crab *Hemigrapsus edwardsi* (Brachyura: Decapoda) in New Zealand, with notes on the prevalence of infection and host defense reactions. *Systematic Parasitology* **50**, 149-157.
- Poinar, G. O., Jr. and Doelman, J. J.** (1974). A reexamination of *Neochordodes occidentalis* (Montg.) comb. n. (Chordodidae: Gordioidea): larval penetration and defense reaction in *Culex pipens* L. *Journal of Parasitology* **60**, 327-335.
- Poinar, G. P.** (1999). *Paleochordodes protus* n.g., n.sp. (Nematomorpha, Chordodidae), parasites of a fossil cockroach, with a critical examination of other

- fossil hairworms and helminths of extant cockroaches (Insecta: Blattaria). *Invertebrate Biology* **118**, 109-115.
- Polozhentsev, P. A.** (1954). Helminths of insects (Nematoda and Gordiacea). A review of the literature. *Trudy Gelminthol. Lab. Akad. Nauk SSSR* **7**, 282-303.
- Ponton, F., Lebarbenchon, C., Lefevre, T., Thomas, F., Duneau, D., Marche, L., Renault, L., Hughes, D. P. and Biron, D. G.** (2006). Hairworm anti-predator strategy: a study of causes and consequences. *Parasitology* **133**, 631-638.
- Poprawski, T. J. (1985) Natural enemies of *Phyllophaga* spp. (COLEOPTERA: SCARABAEIDAE) in southern Quebec, with special references to entomopathogens. In *Entomology*, McGill University
- Poulin, R.** (1995). Hairworms (Nematomorpha: Gordioidea) infecting New Zealand short-horned grasshoppers (Orthoptera: Acrididae). *Journal of Parasitology* **81**, 121-122.
- Poulin, R.** (1996). Observations on the free-living adult stage of *Gordius dimorphus* (Nematomorpha: Gordioidea). *Journal of Parasitology* **82**, 845-846.
- Poulin, R.** (1998). Book Review: Nematomorpha. *Journal of Parasitology* **84**, 35.
- Poulin, R.** (1998). Evolution and phylogeny of behavioural manipulation of insect hosts by parasites. *Parasitology* **116**, S3-11.
- Poulin, R.** (1998). *Evolutionary ecology of parasites: from individuals to communities*. 1st. Chapman and Hall, London.
- Poulin, R. and Thomas, F.** (1999). Phenotypic variability induced by parasites. *Parasitology Today* **15**, 28-32.
- Pritchard, M. H. and Kruse, G. O. W.** (1982). *The collection and preservation of animal parasites*. University of Nebraska Press, Lincoln.
- Protasoni, M., de Eguileor, M., Congiu, T., Grimaldi, A. and Reguzzoni, M.** (2003). The extracellular matrix of the cuticle of *Gordius panigettensis* (Gordioidea, Nematomorpha): observations by TEM, SEM and AFM. *Tissue Cell* **35**, 306-311.
- Rajaram, B., and G. S. Rajulu** (1975). A study of the cuticle of *Gordius robustus*, a nematomorph worm. *Acta Histochem.* **54**, 257-271.
- Rauther, M.** (1904). Das Cerebralganglion und die Leibeshöhle der Gordiiden. *Zoologischer Anzeiger* **27**, 606-614.
- Rauther, M.** (1905). Beiträge zur Kenntnis der Morphologie und der phylogenetischen Beziehungen der Gordiiden. *Jeanische Zeitschrift für Naturwissenschaft* **40**, 1-94.
- Rauther, M.** (1914). Zur Kenntnis und Beurteilung von Nectonema. *Zoologischer Anzeiger* 561-576.
- Rauther, M.** (1926). Allgemeine Einleitung zur Naturgeschichte der Nemathelminthes. *Handbuch der Zoologie (Kükenthal)* **2**, 1-7.
- Rauther, M.** (1930). Nematomorpha. In *Handbuch der Zoologie, Band 2 Teil 4*, bogen 33-37 (ed. Kükenthal, W. a. K., T.), pp. 403-448. Walter De Gruyter & Co., Berlin, Germany.
- Reardon, L.** (1928). A possible but somewhat doubtful case of *Gordius aquaticus* in an infant. *Journal of Parasitology* **15**, 68.
- Redlich, A.** (1980). Description of *Gordius attoni* sp. n. (Nematomorpha, Gordiidae) from northern Canada. *Canadian Journal of Zoology* **58**, 382-385.

- Reeker, H.** (1895). Ein Lebender *Gordius* aus der Neheimer Wasserleitung. *Jahresbericht des Westfälischem Provinz.-vereins für wissenschaftliche Kunst. Münster* 27.
- Rees, N. E.** (1973). Arthropod and nematode parasites, parasitoids and predators of Acrididae in America North of Mexico. *U.S. Department of Agriculture, Agriculture Research Services Technical Bulletin* **1460**.
- Reeves, W.** (2001). The hidden diversity inside biting flies. *ATBI Quarterly* **2**, 8.
- Reichenbach-Klinke, H. H.** (1962). Die parasiten der donaufische. *Archiv für Hydrobiologie* **27 Supplement**, 40-56.
- Restelli, M. A., de Villalobos, L. C. and Zanca, F.** (2002). Ultrastructural description of the musculature, the intraepidermal nervous system, and their interrelation in *Pseudochordodes bedriagae* (Nematomorpha). *Cell and Tissue Research* **308**, 299-306.
- Reutter, K.** (1972). *Gordius* das Wasserkalb. *Mikroskosmos* **61**, 198-204.
- Richter, R.** (1930). Die Schwimmfährte des Wasserkalbs (*Gordius*). *Natur und Museum* **60**, 396-398.
- Riddell, W.** (1928). Gordiidae as parasites of man. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene. 1. Abt., Originale.* **109**, 331-338.
- Riemann, F.** (1972). *Kinonchulus sattleri* n.g., n.sp. (Enoplida, Tripyloidea), an aberrant freeliving nematode from the lower Amazonas. *Veröffentlichungen des Instituts für Meeresforschung in Bremerhaven* **13**, 317-326.
- Rietschel, P.** (1974). Class: Nematomorpha. In *Grzimek's Animal Life Encyclopedia* (ed. Grzimek, B.), pp. 316, 349. Van Nostrand Reinhold Co., New York.
- Riley, C. V.** (1870). Hair-snakes. *American entomologist and botanist* **2**, 180.
- Riley, C. V., Packard, A. S. and Thomas, C.** (1878). Hairworms. In *U.S. Entomological Commission Annual Report, No. 1* pp.
- Römer, F.** (1895). Beitrag zur Systematik der Gordiiden. *Abhandlgn. der Senkenberger Naturforschungs Gesellschaft* **23**, 247-295.
- Römer, F.** (1895). Die Gordiiden des Naturhistorischen Museums in Hamburg. *Zoologische Jahrbücher. Abteilung für Systematik, Ökologie und Geographie der Tiere* **8**, 790-803.
- Römer, F.** (1895). Drei neue Gordiiden von Borneo und Halmaheira. *Zoologischer Anzeiger* **18**, 197-200.
- Rosa, D.** (1882). Nota intorno al *Gordius villoti* n. sp. ed al *G. tolosanus* Duj. *Atti della R. Accademia della Scienze di Torino* **17**, 333-342.
- Sahli, F.** (1972). Modifications des caractères sexuels secondaires mâles chez led *lulidae* (myriapoda, Diplopoda) sous l'influence de Gordiacés parasites. *Comptes Rendus de l'Academie des Sciences, Series D* **274**, 790-803.
- Saito, Y., Inoue, I., Hayashi, F. and Itagaki, H.** (1987). A hairworm, *Gordius* sp., vomited by a domestic cat. *Nippon Juigaku Zasshi* **49**, 1035-1037.
- Salt, G.** (1963). the defense reactions of insects to metazoan parasites. *Parasitology* **53**, 527-643.
- Sanches, M. I., Ponton, F., Misse, D., Hughes, D. P. and Thomas, F.** (2008). Hairworm response to notonectid attacks. *Animal Behavior* **75**, 823-826.

- Sandosham, A. A.** (1953). Malaysian parasites XV. Seven new worms from miscellaneous hosts. *Stud. Hist. Med. Res. Fed. Malaya* **26**, 212-226.
- Sanford, S. N.** (1853). On some points in the history of *Gordius*. *Proceedings of the American Association of the Advancement of Science, Annual Meetings* **7**.
- Sapp, K. K. and Esch, G. W.** (1994). The effects of spatial and temporal heterogeneity as structuring forces for parasite communities in *Helisoma anceps* and *Physa gyrina*. *American Midland Naturalist* **132**, 91-103.
- Sawyer, R. T.** (1971). Erpobdellid leeches as a new host for the nematomorph, *Gordius* sp. *Journal of Parasitology* **57**, 258.
- Sayad, W. Y., and Johnson, V. M.** (1936). Human parasitization with *Gordius robustus*. *Journal of the American Medical Association* **106**, 461-462.
- Schepotieff, A.** (1908). Über den feineren Bau der Gordiuslarven. *Zeitschrift für wissenschaftliche Zoologie* **89**, 230-241.
- Schmidt-Rhaesa, A.** (1996). Die Biologie der Saitenwürmer (Nematomorpha). *Mikrokosmos* **85**, 279-283.
- Schmidt-Rhaesa, A.** (1996). The nervous system of *Nectonema munidae* and *Gordius aquaticus*, with implications for the ground pattern of the Nematomorpha. *Zoomorphology* **116**, 133-142.
- Schmidt-Rhaesa, A.** (1996). Ultrastructure of the anterior end in three ontogenetic stages of *Nectonema mundiae* (Nematomorpha). *Acta Zoologica* **77**, 267-278.
- Schmidt-Rhaesa, A.** (1996). *Zur Morphologie, Biologie und Phylogenie der Nematomorpha*. Cuvillier Verlag, Göttingen.
- Schmidt-Rhaesa, A.** (1997). Monophyly and systematic relationships of the Nematomorpha. *Verhandlungen der Deutschen Zoologischen Gesellschaft* **89**, 23.
- Schmidt-Rhaesa, A.** (1997). Nematomorpha. In *Süßwasserfauna Mitteleuropas* (eds. Scwoerbel, J. and Zwick, P.), pp. 1-124. Gustav Fischer, Stuttgart.
- Schmidt-Rhaesa, A.** (1997). Ultrastructural features of the female reproductive system and female gametes of *Nectonema munidae* Brinkmann 1930 (Nematomorpha). *Parasitology Research* **83**, 77-81.
- Schmidt-Rhaesa, A.** (1997). Ultrastructural observations of the male reproductive system and spermatozoa of *Gordius aquaticus* L., 1758. *Invertebrate Reproduction and Development* **32**, 31-40.
- Schmidt-Rhaesa, A.** (1998). Muscular ultrastructure in *Nectonema munidae* and *Gordius aquaticus* (Nematomorpha). *Invertebrate Biology* **117**, 37-44.
- Schmidt-Rhaesa, A.** (1998). Phylogenetic relationships of the Nematomorpha- a discussion of current hypothesis. *Zoologischer Anzeiger* **236**, 203-216.
- Schmidt-Rhaesa, A.** (1999). Nematomorpha. In *Encyclopedia of reproduction* (eds. Knobil, E. and Neill, J. D.), pp. 333-341. Academic Press, San Diego.
- Schmidt-Rhaesa, A.** (2000). Rasterelektronenmikroskopische Untersuchungen an *Gordionus violaceus* Baird 1853 und *Gordius elongiporus* spec. nova (Nematomorpha) aus Niederösterreich. *Linzer Biologische Beiträge* **32**, 455-461.
- Schmidt-Rhaesa, A.** (2001). Are the genera of Nematomorpha monophyletic taxa? *Zoologica Scripta* **31**, 185-200.

- Schmidt-Rhaesa, A.** (2001). The life cycle of horsehair worms (Nematomorpha). *Acta Parasitologica* **46**, 151-158.
- Schmidt-Rhaesa, A.** (2001). Problems and perspectives in the systematics of Nematomorpha. *Organisms, Diversity and Evolution* **1**, 161-163.
- Schmidt-Rhaesa, A.** (2001). Reinvestigation and reinterpretation of *Chordodiolus echinatus* Linstow, 1901, a peculiar nematomorph species. *Mitt. Mus. Nat.kd. Berl.: Zool. Reihe* **77**, 91-94.
- Schmidt-Rhaesa, A.** (2001). Reinvestigation and reinterpretation of *Chordodiolus echinatus* Linstow, 1901, a peculiar nematomorph species. *Mitteilungen des Museums für Naturkunde, Berlin, Zoologische Reihe* **77**, 91-94.
- Schmidt-Rhaesa, A.** (2001). Variation of cuticular characters in the Nematomorpha: studies on *Gordionus violaceus* (Baird, 1853) and *G. wolterstorffii* (Camerano, 1888) from Britain and Ireland. *Systematic Parasitology* **49**, 41-57.
- Schmidt-Rhaesa, A.** (2002). Australian species of *Chordodes* (Nematomorpha) with remarks on the genus and its life history. *Journal of Natural History* **36**, 1569-1588.
- Schmidt-Rhaesa, A.** (2003). Old trees, new trees--is there any progress? *Zoology (Jena)* **106**, 291-301.
- Schmidt-Rhaesa, A.** (2004). *Gordius longitriatus*, a new species or Nematomorph from Hawai'i. *Records of the Hawaii Biological Survey for 2003. Bishop Museum Occasional Papers* **78**, 53-55.
- Schmidt-Rhaesa, A.** (2004). Japanese horsehair worms (Nematomorpha) from the Lake Biwa Museum. *Species Diversity* **9**, 97-107.
- Schmidt-Rhaesa, A.** (2004). Ultrastructure of an integumental organ with probable sensory function in *Paragordius varius* (Nematomorpha). *Acta Zoologica* **85**, 15-19.
- Schmidt-Rhaesa, A.** (2005). Morphogenesis of *Paragordius varius* (Nematomorpha) during the parasitic phase. *Zoomorphology* **124**, 33-46.
- Schmidt-Rhaesa, A., Biron, D. G., Joly, C. and Thomas, F.** (2005). Host-parasite relations and seasonal occurrence of *Paragordius tricuspidatus* and *Spinochondodes tellinii* (Nematomorpha) in Southern France. *Zoologischer Anzeiger* **244**, 51-57.
- Schmidt-Rhaesa, A. and Bryant, M. S.** (2004). Filling the Gondwana gaps: new species and new reports of *Beatogordius* Heinze, 1934 (Nematomorpha) from Australia and Madagascar. *Systematic Parasitology* **57**, 173-181.
- Schmidt-Rhaesa, A., Chung, P. R. and Sohn, W. M.** (2003). *Parachordodes megareolatus*, a new species of horsehair worm (Nematomorpha) from Korea. *Korean Journal of Systematic Zoology* **19**, 161-166.
- Schmidt-Rhaesa, A. and de Villalobos, L. R.** (2001). Revision of the genus *Beatogordius* (Gordiida, Nematomorpha). I. African species with inclusion of *Chordodiolus echinatus* (Linstow, 1901). *Annales du Musée royal de l'Afrique Centrale* **206**.
- Schmidt-Rhaesa, A. and Ehrmann, R.** (2001). Horsehair Worms (Nematomorpha) as Parasites of Praying Mantids with a Discussion of their Life Cycle. *Zoologischer Anzeiger* **240**, 167-179.

- Schmidt-Rhaesa, A. and Geraci, C. J.** (2006). Two new species of *Acutogordius* (Nematomorpha), with a brief review of literature data of this genus. *Systematics and Biodiversity* **4**, 427-433.
- Schmidt-Rhaesa, A., Hanelt, B. and Reeves, W.** (2003). Redescription and compilation of Nearctic freshwater Nematomorpha (Gordiiida), with the description of two new species. *Proceedings of the Academy of Natural Sciences of Philadelphia* **153**, 77-117.
- Schmidt-Rhaesa, A. and Kristensen, P.** (2006). Horsehair worms (Nematomorpha) from the Baltic island Bornholm (Denmark), with notes on the biology of *Gordius albopunctatus*. *Journal of Natural History* **40**, 495-502.
- Schmidt-Rhaesa, A. and Menzel, L.** (in press). Central American and Caribbean species of horsehair worms (Nematomorpha), with the description of three new species. *Journal of Natural History*.
- Schmidt-Rhaesa, A., Thomas, F. and Poulin, R.** (1998). Scanning electron microscopy and intraspecific variation in *Euchordodes nigromaculatus* from New Zealand. *Journal of Helminthology* **72**, 65-70.
- Schmidt-Rhaesa, A., Thomas, F. and Poulin, R.** (2000). Redescription of *Gordius paranensis* Camerano, 1892 (Nematomorpha), a species new for New Zealand. *Journal of Natural History* **34**, 333-340.
- Schmidt-Rhaesa, A. and Yadav, A. K.** (2004). On the occurrence of *Chordodes* cf. *furnessi* (Nematomorpha) from praying mantis in India, and a note on Indian nematomorph species. *Current Science* **86**, 1023-1027.
- Schneider, A.** (1866). *Gordius*. In *Monographie der Nematoden* (ed. Schneider, A.), pp. 178-182. G. Reimer, Berlin.
- Scholl, P. J.** (1998). Moxidectin 2 percent equine oral gel. *Equine Practice* **20**, 19-22.
- Schultz-Baker, P.** (1985). Macroinvertebrate populations in a thermally impacted reservoir. *Transactions of the Illinois State Academy of Sciences* **78**, 67-80.
- Sciacchitano, I.** (1932). Spedizione scientifica all' oasi di Cufra (Marzo- Luglio 1931). *Gordii*. *Annali Museo Civico di Storia Naturale Genova* **55**, 305-306.
- Sciacchitano, I.** (1932). Su alcuni *Gordii* del Museo Civico di Milano. *Atti della Societa italiana di Scienze Naturalie del Museo Civico di Milano* **71**, 241.
- Sciacchitano, I.** (1933). *Gordii* de Romagna. *Bollettino di zoologia* **4**, 187-189.
- Sciacchitano, I.** (1933). Su alcuni *Gordii* del Congo Belga. *Revue Zoologique et Botanique Africaine* **24**, 50-59.
- Sciacchitano, I.** (1937). Nuovi *Gordii* del Congo Belga. *Revue Zoologique et Botanique Africa* **30**, 141-151.
- Sciacchitano, I.** (1940). Le attulai conoscenze sui *Gordii* dell' Africa Italiana. *Rivista di Biologia Coloniale* **3**, **6**, 441.
- Sciacchitano, I.** (1952). Irudinei e *Gordii* cavernicoli in Italy. *Archives Zool. Ital.* **37**, 439-443.
- Sciacchitano, I.** (1955). *Gordius panighettensis*, n. sp. di Gordioideo italiano. *Monit Zool Ital* **63**, 56-59.
- Sciacchitano, I.** (1958). Gordioioidea del Congo Belga. *Annales du Musée Royal du Congo Belge, Sér. Sci. Zool.* **67**, 7-111.
- Sciacchitano, I.** (1961). Su alcuni Gordioidei della Tunesia. *Monitore Zool. Italia* **69**, 103-105.

- Scorza, J. A.** (1952). Contribucion al estudio de los Gordiacea de Venezuela. *Acta biologica Venezuelica* **1**, 49-54.
- Service, N. P. (1984) *Crickets and Grasshoppers*, Final Report National Park Service
- Severn, B. and Tashiro, Y.** (1976). *The book of rope and knots*. McKay, New York, New York.
- Seymour, M. K.** (1983). Some implications of helical fibers in worm cuticle. *Journal of Zoology, London* **199**, 287-295.
- Sharp, J.** (2003). Water you are using today could bankrupt your business tomorrow. *Australian Organic Journal* **52**, 12.
- Sharpilo, V. P.** (2001). Paratenic parasitism in nematomorphs (Cephalorhyncha, Nematomorpha). *Vestnik zoologii* **35**, 3-12.
- Shelford, R.** (1903). Bionomical notes on some Bornean Mantidae. *Zoologist* **7**, 293-304.
- Shephard, M. R. N.** (1974). *Arthropods as final hosts of nematodes and nematomorphs. An annotated bibliography 1900-1972*. Farnham, Royal, Slough, Bucks, England.
- Shipley, A. E.** (1903). On the ecto-parasites collected by the "Skeat Expedition" to Lower Siam and the Malay Peninsula in the years 1899-1900. *Proceedings of the Zoological Society of London* **2**, 145-156.
- Siebold, C. T., von** (1842). Über die Fadenwürmer der Insekten. *Stettiner Entomologische Zeitung* **3**, 146-161.
- Siebold, C. T., von** (1843). Über die Fadenwürmer der Insekten. 1. Nachtrag. *Stettiner Entomologische Zeitung* **4**, 78-84.
- Siebold, C. T., von** (1848). Über die Fadenwürmer der Insekten. 2. Nachtrag. *Stettiner Entomologische Zeitung* **9**, 290-300.
- Siebold, C. T., von** (1850). Über die Fadenwürmer der Insekten. 3. Nachtrag. *Stettiner Entomologische Zeitung* **11**, 329-336.
- Siebold, C. T., von** (1854). Über die Fadenwürmer der Insekten. 4. Nachtrag. *Stettiner Entomologische Zeitung* **15**, 103-121.
- Siebold, C. T., von** (1856). Zusatz. *Zeitschrift für wissenschaftliche Zoologie* **7**, 141-144.
- Siebold, C. T., von** (1958). Über die Fadenwürmer der Insekten. 5. Nachtrag. *Stettiner Entomologische Zeitung* **19**, 324-344.
- Siltala, A. J.** (1906). Zur Kenntnis der Parasiten der Trichipteren. Beobachtung über Parasiten der Trichoptern. *Zeitschrift für wissenschaftliche Insektenbiologie* **2**, 382-385.
- Singh, S. N. and Rao, V. G.** (1966). On a case of human infection with a grodiid worm in the orbit. *Indian journal of helminthology* **18 (Seminar Supplement)**, 65-67.
- Skaling, B. and MacKinnon, B. M.** (1988). The absorptive surfaces of *Nectonema* sp. (Nematomorpha: Nectonematoidea) from *Pandalus montagui*: histology, ultrastructure, and absorptive capabilities of the body wall and intestine. *Canadian Journal of Zoology* **66**, 289-295.
- Skrjabin, K. N.** (1972). Class Gordiaces (Siebold 1848). *Princ. Common Helminthology* **6**, 462-471.
- Slevogt, B.** (1909). Über Lepidopterenschmarotzer. *Zeitschrift für wissenschaftliche Insektenbiologie* **5**, 197.

- Smith, D. G.** (1991). Observations on the morphology and taxonomy of two *Parachordodes* species (Nematomorpha, Gordioidea, Chordodidae) in southern New England (USA). *Journal of Zoology* **225**, 469-480.
- Smith, D. G.** (1994). A reevaluation of *Gordius aquaticus difficilis* Montgomery 1898 (Nematomorpha, Gordioidea, Gordiidae). *Proceedings of the Academy of Natural Sciences of Philadelphia* **145**, 29-34.
- Smith, D. R., Watson, D. D., Clevenger, R. R. and McBride, C.** (1990). *Paragordius varius*. *Archives of Pathology and Laboratory Medicine* **114**, 981-983.
- Snyder, S. D. and Esch, G. W.** (1993). Trematode community structure in the pulmonate snail *Physa gyrina*. *Journal of Parasitology* **79**, 205-215.
- Sokolov, S. G. and Spiridonov, S. E.** (1998). Gordiid larvae (Nematomorpha) from inner organs of freshwater fishes in Tver region, Russia. *Vestnik Zoologii* **32**, 32.
- South, R.** (1892). A curious parasite (2). *Entomologist* **25**, 291.
- Southern, R.** (1909). The Gordii of Ireland. *Irish Nat.* **18**, 115-117.
- Spiridonov, S. E.** (1984). Two new species of Nematomorpha, family Gordiidae. *Trudy Zoologicheskogo-Instituta, -Akademiya-Nauk-SSSR-Ekologo-geograficheskissledovaniya-nematod* **126**, 97-101, 121.
- Spiridonov, S. E.** (1989). Current knowledge on Gordiacea. *Byulleten' Vsesoyuznogo Instituta Gel'mintologii im. K. I. Skryabina*. 90-91.
- Spiridonov, S. E.** (1989). Nematomorphs of the genus *Parachordodes* Camerano, 1897 of Central Asia. *Trudy Zoologicheskii Institut, Akademii Nauk SSSR* **194**, 76-82.
- Spiridonov, S. E.** (1993). *Gordius annamensis* sp. n. (Nematomorpha: Parachordodidae) a new species of gordian worm from central Vietnam. *Parazitologiya* **27**, 429-432.
- Spiridonov, S. E.** (1998). Horse hairworms of the genus *Gordius* Linne, 1776 (Gordioidea, Nematomorpha) in the collection of Scientific Zoological Museum, M.V. Lomonosov Moscow State University. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii* **103**, 19-26.
- Spiridonov, S. E.** (2000). A new hairworm in the genus *Chordodes* (Nematomorpha: Chordodidae) from the Minusinsk depression. *Parazitologiya* **34**, 437-441.
- Spiridonov, S. E.** (2001). *Chordodes guineensis* sp.n., a new species of horsehair worms from West Africa (Nematomorpha: Chordodidae). *Zoosystematica Rossica* **10**, 275-279.
- Spiridonov, S. E., Pikula, Z. P. and Drljevic, E. T.** (1992). Redescription of *Dacochoordodes bacescui* Capuse, 1966 (Nematomorpha: Chordodidae). *Helminthologica* **29**, 193-196.
- Stachowitsch, M.** (1992). Nematomorpha. In *The invertebrates: an illustrated glossary* pp. 122-126. Wiley-Liss Inc., New York, New York.
- Stiles, C. W.** (1907). Three new American cases of infection of man with horse-hair worms (Species *Paragordius varius*), with summary of all cases reported to date. *U.S. Public Health Services Hygiene Laboratory Bulletin* **34**, 53-68.
- Stiles, C. W. and Hassall, A.** (1920). *Index-catalogue of medical and veterinary zoology. Subjects: Roundworms (Nematoda, Gordiacea and Acanthocephali) and the diseases they cause*. Washington Government Printing Office, Washington, D. C.

- Stockell, G.** (1936). The nematode parasites of Lake Ellesmere trout. *Transactions of the Royal Society of New Zealand* **66**, 80-96.
- Studier, E. H., LaVoie, K. H. and Chandler, C. M.** (1991). Biology of cave crickets, *Hadenococcus subterraneus*, and camel crickets, *Ceuthophilus stygius* (Insecta: Orthoptera): parasitism by hairworms (Nematomorpha). *Journal of the Helminthological Society of Washington* **58**, 248-250.
- Sutherland, W. J.** (1996). *Ecological Census Techniques: A Handbook*. Cambridge University Press, Cambridge, Massachusetts.
- Svábeník, J.** (1908). Studien an Nematomorphen. *Zoologischer Anzeiger* **33**, 385-388.
- Svábeník, J.** (1925). Parasitismus a metamorfosa druhu *Gordius tolosanus* Dujardin. *Publications de la Faculté des Sciences de l'Université Masaryk* **58**, 1-48.
- Swanson, C. J.** (1971). Isomeric responses of the paramyosin smooth muscle of *Paragordius varius* (Leidy), (Aschelminthes, Nematomorpha). *Zeitschrift für Vergleichbare Physiologie* **74**, 403-410.
- Swanson, C. J.** (1971). Occurrence of paramyosin among the nematomorpha. *Nature New Biology* **232**, 122-123.
- Tanada, Y. and Kaya, H. K.** (1993). *Insect pathology*. Academic Press, San Diego.
- Tanner, V. M.** (1939). Notes on the Gordiacea of Utah. *Great Basin Naturalist* **1**, 2.
- Tepper, J. G. O.** (1900). Notes on cockroaches in South Australia. *Bulletin of the U.S. Department of Agriculture Division of Entomology* **22**, 95-96.
- Thomas, F., Ward, D. F. and R. Poulin** (1998). Fluctuating asymmetry in an ornamental trait in the cave weta, *Pleiopectron simplex* Hutton (Orthoptera: Rhaphidophoridae): no role for parasites. *Canadian Journal of Zoology* **76**, 931-935.
- Thomas, F., Schmidt-Rhaesa, A., Martin, G., Manu, C., Durand, P. and Renaud, F.** (2002). Do hairworms (Nematomorpha) manipulate the water seeking behaviour of their terrestrial hosts? *Journal of Evolutionary Biology* **15**, 356-361.
- Thomas, F., Schmidt-Rhaesa, A. and Poulin, R.** (1999). Microhabitat characteristics and reproductive status of male *Euchordodes nigromaculatus* (Nematomorpha). *Journal of Helminthology* **73**, 91-93.
- Thomas, F., Ulitsky, P., Augier, R., Dusticier, N., Samuel, D., Strambi, C., Biron, D. G. and Cayre, M.** (2003). Biochemical and histological changes in the brain of the cricket *Nemobius sylvestris* infected by the manipulative parasite *Paragordius tricuspidatus* (Nematomorpha). *International Journal of Parasitology* **33**, 435-443.
- Thomas, G. M. and Poinar, G. O., Jr.** (1973). Report of diagnosis of diseased insects 1962-1972. *Hilgardia* **42**, 261-360.
- Thorne, G.** (1940). The hairworm, *Gordius robustus* Leidy, as a parasite of the Mormon cricket, *Anabrus simplex* Haldeman. *Journal of the Washington Academy of Sciences* **30**, 219-231.
- Tomlin, A. D.** (1975). Notes on the biology and rearing of two species of ground beetles, *Pterostichus melanaria* and *Harpalus pensylvanicus* (Coleoptera Carabidae). *Canadian Entomologist* **107**, 67-74.
- Topsent, E.** (1900). Sur un cas de pseudo parasitisme chez l'homme du *Gordius violaceus* Baird. *Bulletin de la Societe Méd. Ouest* **9**, 86-91.
- Townsend, J. I.** (1970). Records of gordian worms (Nematomorpha) from New Zealand. *Entomological Society of New Zealand* **4**, 98-99.

- Tretiakow, D.** (1901). Entwicklungsgeschichte von *Gordius aquaticus* Vill. *Travaux Soc. Imp. Natur St. Petersburg* **32**, 19-22.
- Ulrey, A. B.** (1898). Records on the embryology of *Paragordius (Gordius) varius* (Leidy). *Proceedings of the Indiana Academy of Science* **1897**, 232-233.
- Usynin, V. F.** (1978). The biology of the Chulym River sterlet, *Acipenser ruthenus*. *Journal of Ichthyology* **18**, 544-555.
- Valvassori, R., Scari, G., De-Eguileor, M., Lernia, L. D., Magnetti, P. and Melone, G.** (1988). *Gordius villoti* (Nematomorpha) life cycle in relation with caddis fly larvae. *Bollettino di Zoologia* **55**, 269-278.
- Valvassori, R., Scari, G. and Lanzavecchia, G.** (1987). Aspects of morphogenesis in nematomorphs. *Acta Embryologiae et Morphologiae Experimentalis* **8**, 453-456.
- Van Zwaluwenberg, R. H.** (1928). The interrelationships of insects and roundworms. *Bulletin of the Experimental Station of the Hawaiian Sugar Planters Association Entomological series Bulletin* **20**, 1-68.
- Vejdovsky, F.** (1886). Zur Morphologie der Gordiiden. *Zeitschrift für wissenschaftliche Zoologie* **43**, 369-433.
- Vejdovsky, F.** (1888). Studien über Gordiiden. *Zeitschrift für wissenschaftliche Zoologie* **46**, 188-216.
- Vejdovsky, F.** (1894). Organogenie der Gordiiden. *Zeitschrift für wissenschaftliche Zoologie* **57**, 642-703.
- Vejdovsky, F.** (1898). Bemerkung zu den Godiidenarbeiten von Linstow's. *Zoologischer Anzeiger* **21**, 382-384.
- Vickery, V. R. and Johnstone, D. E.** (1970). Generic status of some Nemobiinae (Orthoptera: Gryllidae) in Northern North America. *Annals of the Entomological Society of America* **63**, 1741-1749.
- Vieweg, H. A.** (1811). Über den sogenannten Haarwurm (*Gordius aquaticus*). *Allg. Med. Ann. Altenb.* **1811**, 423-424.
- Vigueras, I. P.** (1934). Nota sobre Gordidos Cuba. *Memorias Sociedad Cubana de Historia Natural Felipe Poey (La Habana)* **8**, 353-354.
- Villalobos, C. d., Rumi, A., Núñez, V., Schmidt-Rhaesa, A. and Zanca, F.** (2003). Paratenic hosts: larval survival strategy of *Paragordius varius* (Leidy, 1851)(Gordiida, Nematomorpha). *Acta Parasitologica* **48**, 98-102.
- Villalobos, C. d., Zanca, F. and Schmidt-Rhaesa, A.** Revision of the genus *Chordodes* (Gordiida, Nematomorpha) from Africa III. Ultrastructural redescription of ...
- Villot, A.** (1881). L'organisation et le développement des Gordiens. *Annales Sciences Naturelles, 6 Série Zoologie* **11**, 1-44.
- Villot, A.** (1872). Sur la forme embryonnaire des Dragonneaux. *Ann. Mag. Nat. Hist.* **4**.
- Villot, A.** (1874). Monographie des dragonneaux (Genre *Gordius* Dujardin). *Archives de Zoologie expérimentale* **3**, 39-72.
- Villot, A.** (1874). Monographie des dragonneaux (Genre *Gordius* Dujardin). Deuxième partie. Anatomie et Physiologie. *Archives de Zoologie expérimentale* **3**, 181-238.
- Villot, A.** (1884). Sur le parasitisme et la détermination spécifique des larves des Gordiens. *Zoologischer Anzeiger* **7**, 84-88.
- Villot, A.** (1885). Nouvelles especes de Gordiens. *Bull. Soc. Sci. Nat Sud-Est* **3**, 43-48.

- Villot, A.** (1886). Revision de Gordiens. *Annales des Sciences Naturelles, Paris* **7**, 271-381.
- Villot, A.** (1887). Sur le développement et la détermination spécifiques des Gordiens vivant à l'état libre. *Zoologischer Anzeiger* **10**, 505-509.
- Villot, A.** (1889). Sur la signification histologique, le mode de formation et l'usage de la cavité péri-intestinale des Gordius. *Comptes Rendus de l'Académie des Sciences, Paris* **108**, 685-687.
- Villot, A.** (1889). Sur l'hypoderm et le sytemé nerveux des Gordiens. *Comptes Rendus de l'Académie des Sciences, Paris* **108**, 304-306.
- Villot, A.** (1889). Sur l'ovogenèse, la structure de l'ovaire et la régression du parenchyme des Gordiens. *Comptes Rendus de l'Académie des Sciences, Paris* **109**, 411-412.
- Villot, A.** (1891). L'évolution des Gordiens. *Annales Sc. nat. Zoologie* **59**, 329-401.
- Villot, A.** (1896). Réclamation de priorité sur l'embryogénie des Gordiens et des Nématodes. *Zoologischer Anzeiger* **19**, 123-125.
- Voigt, E.** (1938). Ein fossiler Saitenwurm (*Gordius tenuifibrosus* n. sp.) aus der eozäen Braunkohle des Geiseltales. *Nova acta Leopoldina, new series* **5**, 351-360.
- Wakeland, C.** (1959). *Mormon Crickets in North America*.
- Wakeland, C. and Shull, W. E.** (1936). The Mormon cricket with suggestions for its control. *University of Idaho Agricultural College Extension Bulletin* **100**, 1-30.
- Walker, T. J., and S. Masaki** (1998). Natural history. In *Cricket behavior and Neurobiology* (ed. Huber, F., Moore, T. E., and W. Loher), pp. 565. Cornell University Press, Ithaca, New York.
- Wallace, R. L., Ricci, C. and Melone, G.** (1995). Through Alice's looking glass: a cladistic analysis of pseudocoelomate anatomy. In *Body cavities: function and phylogeny. Selected symposia and monographs U.Z.I.* (eds. Lanzavecchia, G., Valvassori, R. and Candia Carnevali, M. D.), pp. 61-68. Mucchi, Modena, Italy.
- Wallace, R. L., Ricci, C. and Melone, G.** (1996). A cladistic analysis of pseudocoelomate (aschelminth) morphology. *Invertebrate Biology* **115**, 104-112.
- Walsh, B. D. and Riley, C. V.** (1869). Hair-worm or hair-snake. *American Entomologist* **2**, 64.
- Wang, H. C.** (1991). A case report of human Gordiacea infection. *Chinese Journal of Parasitology and Parasitic Diseases* **9**, 158.
- Ward, D. F.** (1998). A preliminary investigation into the host-parasite relationship of an alpine cricket (Orthoptera: Rhaphidophoridae) from New Zealand. *Journal Of Orthoptera Research* **7**, 99-101.
- Ward, H. B.** (1892). On *Nectonema agile*, Verill. *Bulletin of the Museum of Comparative Zoology at Harvard College* **23**, 135-188.
- Watermolen, D. J., and Chandler, C. M.** (1993). A record of a horsehair worm *Chordodes morgani* (Nematomorpha) in Wisconsin. *Journal of Freshwater Ecology* **8**, 187-188.
- Watermolen, D. J., and Chandler, C. M.** (1993). A record of the horsehair worm *Neochordodes occidentalis* (Nematomorpha) in the State of Washington. *Journal of Freshwater Ecology* **8**, 185-186.

- Watermolen, D. J. and Haen, G. L.** (1994). Horsehair worms (phylum Nematomorpha) in Wisconsin, with notes on their occurrence in the Great Lakes. *Journal of Great Lakes Research* **9**, 7-11.
- Watson, J. M.** (1960). Appendix D: Nematomorpha and Mermithidea. In *Medical Helminthology* pp. 445-468. Bailliere Tindall and Cox, London, England.
- Wei, D. X. and Yang, W. Y.** (1981). Parachordodes sp. (Nematomorpha) human infestation of the lower urinary tract: the first case report in China. *Acta Acad Med Wuhan* **1**, 40-45.
- Weiser, J.** (1972). *Microbiological methods of controlling harmful insects (insect diseases)*.
- Wesenberg-Lund, C.** (1910). Über die eventuelle Brutpflege bei *Gordius aquaticus* L. *Intern. Revue der ges Hydrobiologie* **3**, 122-127.
- White, D. A.** (1966). A new host record for *Paragordius varius* (Nematomorpha). *Transactions of the American Microscopical Society* **85**, 579.
- White, D. A.** (1969). The infection of immature aquatic insects by larval *Paragordius* (Nematomorpha). *Great Basin Naturalist* **29**, 44.
- White, J. C.** (1861). *Gordius trifurcatus* n. sp. said to have been passed from a human body. *Proceedings of the Boston Society of Natural History* **7**, 125.
- Whittaker, F. H., and R. L. Barker** (1983). Some observations on the egg string of a nematomorph worm, *Paragordius* sp. *Transactions of the Kentucky Academy of Science* **44**, 76-77.
- Willmer, P.** (1990). *Invertebrate relationships : patterns in animal evolution*. Cambridge University Press, Cambridge ; New York.
- Winnepeninckx, B., Backeljau, T. and De Wachter, R.** (1995). Phylogeny of protostome worms derived from 18S rRNA sequences. *Mol Biol Evol* **12**, 641-649.
- Winnepeninckx, B., Backeljau, T., Mackey, L. Y., Brooks, J. M., De Wachter, R., Kumar, S. and Garey, J. R.** (1995). 18S rRNA data indicate that Aschelminthes are polyphyletic in origin and consist of at least three distinct clades. *Molecular Biology and Evolution* **12**, 1132-1137.
- Woodring, J. P., and L. H. Teo** (1985). Digestive enzymes in the house cricket *Acheta domesticus* with special reference to amylase. *Comparative Biochemistry and Physiology* **82A**, 871-877.
- Woodring, J. P., and L. H. Teo** (1994). Comparative total activities of digestive enzymes in different gut regions of the house cricket, *Acheta domesticus* L. (Orthoptera: Gryllidae). *Annals of the Entomological Society of America* **87**, 886-890.
- Woodring, J. P. and Blakeney, E. W., Jr.** (1980). The regulation of free amino acids in osmoregulation of cricket blood (*Acheta domesticus*). *Journal of Insect Physiology* **26**, 613-618.
- Wülker, W.** (1964). Parasite-induced changes of internal and external sex characters in insects. *Experimental Parasitology* **15**, 561-597.
- Xianfang, H., and Bergström, J.** (1994). Palaeoscolecoid worms may be nematomorphs rather than annelids. *Lethaia* **27**, 11-17.
- Yamaguti, S.** (1943). Saitenwürmer in Japan, I. *Paragordionus kawamurai* n. sp. *Bulletin of the Biogeographical Society of Japan* **13**, 65-68.

- Yang, C. M., Ng, P. K. L., and H. K. Lua** (1990). Record of a hairworm (Phylum Nematomorpha) from a Tettigoniid Grasshopper in Ulu Kinchin, Pahang, Malaysia. *Malayan Nature Journal* **43**, 268-270.
- Yeh, L. S. and Jordan, P.** (1957). On a new gordiid worm *Pseudogordius tanganyikae* gen. et sp. nov., parasitic in man. *Annales of Tropical Medical Parasitology* **51**, 313-316.
- Yin, Q. Y.** (1988). A case of gordiid worm infection in man. *Chinese Journal of Parasitic Disease Control* **1**.
- Yokoyama, T. and Inoue, I.** (1971). On the adult organization of *Gordius* (Gordiacea). *Bulletin of the Tokyo Gakugei University* **23**, 109-117.
- Yule, W. N., and T. J. Poprawski.** (1983) Microbial control of white grubs in soil. In *Proceedings of the Thirtieth Annual Meeting, Canadian Pest Management Society, Truro, Nova Scotia*, pp. 64-65
- Zalom, F. G.** (1977). A nematomorph parasitizing a backswimmer (Hemiptera: Notonectidae). *American Midland Naturalist* **97**, 229-230.
- Zanca, F. and de Villalobos, C.** (2006). South American species of *Paragordius* Camerano, 1897 (Gordiida, Nematomorpha), with redescription of *Paragordius minusculus* and a description of a new species. *Acta Parasitologica* **51**, 217-222.
- Zanca, F., De Villalobos, C., Schmidt-Rhaesa, A. and Achiorno, C.** (2006). Revision of the genus *Chordodes* (Gordiida, Nematomorpha) from Africa - I. Ultrastructural redescription of *Chordodes gariazzi* Camerano, 1902, *C-heinzei* Sciacchitano, 1937, *C-kolensis* Sciacchitano, 1933, *C-muelleri* Sciacchitano, 1937, and *C-ruandensis* Sciacchitano, 1937. *Journal of Natural History* **40**, 17-31.
- Zanca, F., Rhaesa, A. S., De Villalobos, C. and Achiorno, C.** (2006). Revision of the genus *Chordodes* (Gordiida, Nematomorpha) from Africa. II. Ultrastructural redescription of *C. africanus* Sciacchitano, 1933, *C. hawkeri* Camerano 1902; *C. sandoensis*, Sciacchitano 1937; *C. schoutedeni*, Sciacchitano 1933 and reinterpretation of *Chordodes butensis* Sciacchitano, 1937. *Zootaxa* **49-59**.
- Zapotosky, J. E.** (1971). The cuticular ultrastructure of *Paragordius varius* (Leidy, 1851)(Gordioidea: Chordodidae). *Proceedings of the Helminthological Society of Washington* **38**, 228-236.
- Zapotosky, J. E.** (1971) The fine structure of the "larval" stage of the gordiacean, *Paragordius varius* (Leidy, 1851). In *Department of Zoology*, pp. 118, Ohio State University
- Zapotosky, J. E.** (1974). Fine structure of the larval stage of *Paragordius varius* (Leidy, 1851)(Gordioidea: Paragordidae). I. The preseptum. *Proceedings of the Helminthological Society of Washington* **41**, 209-221.
- Zapotosky, J. E.** (1975). Fine structure of the larval stage of *Paragordius varius* (Leidy 1851)(Gordioidea: Paragordidae). II. The postseptum. *Proceedings of the Helminthological Society of Washington* **42**, 103-111.
- Zervos, S.** (1989). Stadial and seasonal occurrences of gregarines and nematomorphs in 2 New Zealand cockroaches. *New Zealand Journal of Zoology* **16**, 141-146.
- Zollhofer, J. M., Brunke, M. and Gonser, T.** (2000). A typology of springs in Switzerland by integrating habitat variables and fauna. *Archiv für Hydrobiologie* **s121**, 349-376.

- Zrzavý, J., Mihulka, S., Kepka, P., Bezdek, A. and Tietz, D.** (1998). Phylogeny of the metazoa based on morphological and 18S ribosomal DNA evidence. *Cladistics* **14**, 249-285.
- Zschokke, F. v.** (1884). Recherches sur l'organisation et la distribution zoologique des vers parasites des poissons d'eau douce. *Archives de biologie* **5**, 153-241.
- Zschokke, F. v.** (1912). *Gordius* als Parasit des Menschen. *Zentralblatt für Bakteriologie, 1. Abt., Originale*. **63**, 64-67.
- Zschokke, F. v.** (1912). *Gordius aquaticus* L. as a parasite of man. *Science* **35**, 636.